



Readers' Note

This document is part of a larger publication. The remaining parts and full version of the publication can be found at:

<http://www.dpi.nsw.gov.au/agriculture/horticulture/stone-fruit/summerfruit-ipdm>

Updated versions of this document can also be found at the above web address.

This document is subject to the disclaimers and copyright of the full version from which it is extracted. These disclaimers and copyright statements are available in the appropriate document at the above web address.

Index



Index

A

Action thresholdsx, 15
 Alternative hosts3, 18, 56, 92
 Black and green peach aphids24
 Lightbrown apple moth54
 San José scale74
Amblyseius victoriensis: See *Biological control*
Aphids: See *Black Peach Aphid*, *Green Peach Aphid*
 Armillaria root rot90

B

Bacterial blast: See *Bacterial canker*
 Bacterial canker14
 Action threshold16
 Appropriate action16
 Causes and consequences.14
 Influence of four-legged pests17
 Monitoring15
 Orchard management15
 Prevention15
 Pruning16
 Regional issues15
 Species and varieties15
 Symptoms14
 Weather favouring development15
 What to look for16
 When to look.15
 Young plantings17
 Bacterial spot.18
 Action threshold21
 Appropriate action21
 Causes and consequences.18
 Monitoring20
 Orchard design20
 Prevention19
 Pruning and shaping trees20
 Regional issues19

Relationship to soil fertility.20
 Species and varieties20
 Symptoms18
 Weather favouring development18
 What to look for21
 When to look.21
 Biological control105, 112
 Amblyseius victoriensis.109
 Commercial biological control agents109
 DiPel®111
 Effect of pesticides on beneficials.112
 Hippodamia variegata.110
 Hover flies107
 Lace wings111
 Ladybird beetles107
 Natural enemies106, 107
 NoGall®111
 Parasitoids108
 Phytoseiulus persimilis109
 Predatory mites.108
 Stethorus107
 Suppliers119
 Trichogramma wasps109
 Typhlodromus occidentalis109
 Birds121
 Constraints to control123
 Cost-effective plan123
 Defining the problem.123
 Estimating the damage.123
 Identifying the birds involved123
 Management options.124
 Monitoring and evaluation124
 Black peach aphid23
 Action level.23
 Appropriate action25
 Biological control agents24
 Fertiliser19

- Monitoring 24
- Oil sprays 25
- Prevention 24
- Regional issues 24
- Selective aphicides and spot spraying. . . 25
- The pest and its damage 23
- Weather favouring infestation 23
- Weeds 24
- Botrytis: *See Grey mould*
- Brown rot
- Relationship with earwigs 37
- Brown rot and blossom blight 27
- Action threshold 29
- Appropriate action 29
- Causes and consequences. 27
- Choosing species and varieties 28
- Monitoring 29
- Mummies. 30
- Orchard design 28
- Postharvest 31
- Prevention 28
- Pruning and shaping trees 29
- Regional issues 28
- Relationship to *Carpophilus* beetles . . 28
- Resistance to fungicides 31
- Symptoms 27
- C**
- Carpophilus* beetle 32
- Appropriate action 35
- Conditions favouring infestation 34
- Future control strategies 35
- Monitoring 33
- Prevention 32
- Regional issues 32
- Relationship with brown rot 32
- Relationship with fruit fly 33
- The pest and its damage 33
- Chinch bugs: *See Fruit sucking insects*
- Crown gall 91
- D**
- DiPel®: *See Biological control*
- Dormant oil
- Application to control scale
 and aphids 25
- E**
- European earwig 37
- Action threshold 38
- Appropriate action 38
- Baits and foliar insecticides. 39
- Monitoring 37
- Poultry in the orchard 39
- Prevention 37
- Regional issues 37
- Remove alternative shelter 37
- Sticky bands 38
- Sultana grapes 37
- The pest and its damage 37
- Thinning 37
- Evaluating the season 8
- F**
- Freckle 40
- Action threshold 42
- Appropriate action 42
- Causes and consequences. 40
- Monitoring 41
- Prevention 41
- Regional issues 41
- Symptoms 40
- Frost 3
- Fruit fly: *See Mediterranean fruit fly* &
Queensland fruit fly. 43
- Fruit maturity 3

Fruit-sucking insects 97
 Fruit tree moth borer 92
 Fungal gummosis 93

G

Grasshoppers
 Wingless 102
 Green peach aphid 23
 Action threshold 25
 Appropriate action 25
 Biological control agents 24
 Fertiliser 24
 Monitoring 24
 Oil sprays 25
 Prevention 24
 Regional issues 24
 Selective aphicides and spot spraying 25
 The pest and its damage 23
 Weather favouring infestation 23
 Weeds 24

H

Heliothis 94
Hippodamia variegata: *See Biological control*
 Hover flies: *See Biological control*

I

IPDM
 Definitions ix, x
 How to start 2

J

Jassids: *See Fruit sucking insects*

L

Lace wings: *See Biological control*
 Ladybird beetles: *See Biological control*

Leaf curl 50
 Action threshold 51
 Appropriate action 51
 Causes and consequences 50
 Monitoring 51
 Prevention 51
 Regional issues 50
 Symptoms 50
 Weather favouring development 50

Leaf hoppers: *See Fruit sucking insects*

Lightbrown apple moth 53
 Appropriate action 55
 DiPel® 56
 Monitoring 55
 Prevention 54
 Regional issues 54
 The pest and its damage 53
 Thinning 54
 Unpicked fruit 55
 Weather favouring infestation 53
 Weed control 54

M

Mealy bug 94
 Mediterranean fruit fly 43
 Alternative feeding and breeding sites 44
 Appropriate action 46
 Bait sprays 46
 Checking fruit for stings 46
 Cover sprays 47
 Fruit fly traps 45
 Interstate Certification Assurance 48
 Killer pads 47
 Monitoring 45
 Prevention 44
 Pruning 45
 References 49
 Regional issues 43
 Restrictions on movement 44
 The pest and its damage 43

- Mirids: *See Fruit sucking insects*
- Mites 95
Bryobia mite 95
 European red mite 95
 Peach silver mite 95
- Monitoring x, 3–7
 How many trees? 6
 How much time? 4
 Importance of pest and disease life cycles 5
 Pests and diseases. 7
 Record keeping 8
 Sample units 7
 Weather 7
 What to look for 7
 When to monitor. 7
- Monolepta*. 95
- N**
- Natural biological control agents. 107
Also see: Biological control
 Schelleberg's soldier bug 97
Stethorus 107
- Nematodes 3, 96
- NoGall®: *See Biological control*
- O**
- Oil sprays, aphids. 21
- Orchard floor. 3
- Oriental fruit moth 57
 Appropriate action 61
 Calculating degree days. 60
 Lure pots 60
 Mating disruption 59
 Monitoring 59
 Pheromone traps 59
 Prevention 58
 Regional issues 58
 The pest and its damage 57
- P**
- Painted apple moth. 96
- Parasitoids: *See Biological control*
- Peach white scale. 63
 Appropriate action 64
 Conditions favouring infestation 63
 Monitoring 64
 Prevention 63
 Regional issues 63
 The pest and its damage 63
- Pear and cherry slug 97
- Pest and disease history 5
- Phytophthora* 3, 98
Phytoseiulus persimilis: *See Biological control*
- Plague thrips 65
 Action level. 68
 Appropriate action 68
 Collecting from buds and flowers 67
 Damage at flowering 65
 Damage close to harvest 65
 Monitoring 67
 Movement 67
 Orchard management 66
 Prevention 66
 Regional issues 65
 The pest and its damage 65
 Yellow sticky traps 67
- Planting material. 3
- Postharvest diseases 99
 Brown rot. 27
 Grey mould. 99
Rhizopus rot 99
- Poultry in the orchard. 103
- Powdery mildew 99
- Predatory ladybirds. 107
- Predatory mites: *See Biological control*

Q

Queensland fruit fly 43

 Alternative feeding and breeding sites . . . 44

 Appropriate action 46

 Bait sprays 46

 Checking fruit for stings 46

 Cover sprays 47

 Fruit fly traps 45

 Government monitoring 45

 Interstate Certification Assurance 48

 Killer pads 47

 Monitoring 45

 Prevention 44

 Pruning 45

 Regional issues 43

 Restrictions on movement 44

 The pest and its damage 43

R

Replant disease, control options 3

Rhopalid bugs: *See Fruit sucking bugs*

Rust 70

 Appropriate action 70

 Causes and consequences 70

 Control by sanitation 72

 Monitoring 71

 Orchard design 71

 Prevention 71

 Pruning and shaping trees 71

 Regional issues 71

 Species and varieties 71

 Symptoms 70

 Weather favouring development 70

Rutherglen bug 100

S

San José scale 74

 Life cycle 74

 Monitoring 75

 Neglected trees 74

 Prevention 74

 Pruning 74

 Regional issues 74

 The pest and its damage 74

 Weather favouring infestation 74

 When to look 75

Shot-hole 77

 Action threshold 79

 Appropriate action 79

 Causes and consequences 77

 Hastening leaf fall 78

 Irrigation 78

 Lime sulfur 79

 Monitoring 78

 Prevention 78

 Pruning 78

 Regional issues 78

 Symptoms 77

 Weather favouring development 77

Silver leaf 80

 Action threshold 82

 Appropriate action 82

 Causes and consequences 80

 Monitoring 82

 Prevention 80

 Pruning 80, 82

 Regional issues 80

 Removing alternative hosts 81

 Symptoms 80

 Varieties 80

 Wound dressings 81

Site selection 3

Sooty mould 94

Sour sap, relationship with gummosis 90

Spray schedules.	137
Apricots	152
Low and medium chill summerfruit	156
Peaches and nectarines	143
Plums.	138
Squash bugs: <i>See Fruit sucking insects</i>	
Stainer bugs: <i>See Fruit sucking insects</i>	
<i>Stethorus: See Biological control</i>	
Stink bugs: <i>See Fruit sucking insects</i>	
Sunburn	4

T

Training, pruning, thinning and fertilisers	4
European earwigs.	37
Transit rot: <i>See Rhizopus rot (in Postharvest Diseases)</i>	
<i>Trichogramma</i> wasps: <i>See Biological control</i>	
Two-spotted mite	84
Appropriate action	87
Delaying sprays.	84
Irrigation	84
Monitoring.	85
Monitoring by consultants	85
Monitoring by orchardists	86
Prevention	84
Reducing dust	84
The pest and its damage	84
Weather favouring infestation	84, 87
<i>Typhlodromus occidentalis: See Biological control</i>	

V

Varieties	3
Plums and bacterial spot	20
Viral diseases.	101
Viruses	3

W

Weevils.	102
Western flower thrips	64
Action level.	68
Appropriate action	68
Collecting from buds and flowers	67
Damage at flowering	65
Damage close to harvest	65
Monitoring.	67
Movement	66
Orchard management	66
Prevention	66
Regional issues	65
Species and varieties	66
The pest and its damage	65
Yellow sticky traps	67