



wormfaxnsw

ISSN 1444-3783

April 2009

Editor: Stephen Love, Veterinarian/State worm control coordinator, NSW DPI, Armidale.

WormFax is based on sheep WormTest (worm egg count (WEC) monitoring) data from NSW DPI Regional Veterinary Laboratories at Orange and Camden/Menangle (EMAI,) as well as from Armidale-based private laboratories, Veterinary Health Research (VHR), and New England Veterinary Centres (included in VHR results). Owner details are not disclosed.

WormFax is a monthly summary of WormTesting results (in sheep) from around New South Wales. Copies are sent by e-mail each month, and are published on the NSW DPI website at:

www.dpi.nsw.gov.au/newsletters/wormfax

also see <http://www.dpi.nsw.gov.au/agriculture/livestock/sheep/health>

(Internal Parasites - 'Worms on the Web')

WormFax Data

Detailed data is provided in the following worksheets. See coloured tabs labelled 'Data ...' below.

WormFax is based on sheep WormTest (worm egg count (WEC) monitoring) data from NSW DPI Regional Veterinary Laboratories at Orange and Camden/Menangle (EMAI,) as well as from Armidale-based private laboratories, Veterinary Health Research (VHR), and New England Veterinary Centres (included in VHR results). Owner details are not disclosed.

Explanatory Notes

Each row in the tables contains the summary data for a WormTest.

WormTests generally consist of worm egg counts (WECs) for 10 individual sheep from a mob. The individual strongyle egg counts (reported in eggs per gram faeces (EPG)) are not shown, but the average, high and low WECs for each WormTest are shown ('Strong Avg, Min and Max'). In addition to strongyle egg counts, a larval differentiation or "worm typing" is often done as well, showing the percentage of strongyle eggs coming from different worm 'strongyle' species, including *Haemonchus contortus* (barber's pole worm; 'H%'), *Trichostrongylus* spp (black scour worm; 'Trich%'), *Ostertagia* (=Teladorsagia) *circumcincta* (small brown stomach worm; 'O%'), *Cooperia* spp (intestinal worm; 'C%'), and *Oesophagostomum* spp (large bowel worm; less commonly nodule worm; 'Oe%'). The eggs of all these species are very similar in appearance.

The eggs of *Nematodirus* spp (thin-necked intestinal worms; 'Nem Avg') are quite different from strongyle eggs under the microscope, and the counts for these are reported separately.

Liver fluke ('LF') eggs are also quite different from strongyle eggs, and are counted using a different technique anyway. Some labs report two counts for liver fluke (two batches of five samples), hence the two columns for fluke in the tables.



Age and sex descriptors may be abbreviated:

Age: A=adult, L= lamb (< 4 months), W=weaner (4-11 months), H=hogget (12-24 months).

Sex: W=wether, E=ewe, R=ram, M or MXD=mixed.

Labs: for various reasons, the WormTest data is presented in three worksheets (see coloured tabs), one for each lab. WormTest results for a particular district may appear in one or more of the 'Data' worksheets.

Each farm is unique!

There can be enormous variation in worm egg counts between farms and even between mobs on a farm. It's important therefore that each farm does its own, regular WormTesting (worm egg count monitoring). Don't forget to do occasional DrenchChecks (worm egg count after a drench).

For more information, ask your vet or other professional adviser.

Also see "Worms on the Web": www.agric.nsw.gov.au/reader/sheep-internal

NSW Department of Primary Industries Regional Veterinary Labs:

www.agric.nsw.gov.au/reader/das-laboratory

"NATA accredited (to ISO 17025) and unsurpassed for breadth and quality of services".

* Camden/Menangle (EMAI) - tel (02) 4640 6327

* Orange - tel (02) 6391 3858

* Wollongbar - tel (02) 6626 1103

Private laboratories contributing data to WormFax:

* Veterinary Health Research, Armidale tel (02) 6771 1358

* New England Veterinary Centres, Armidale tel (02) 6771 2022

| RLPB District | Abbreviations |
|-------------------|---------------|
| (ACT) | |
| Armidale | ARM |
| Balranald | BAL |
| Bombala | BOM |
| Bourke | |
| Braidwood | BRA |
| Brewarrina | BRE |
| Broken Hill | |
| Casino | |
| Central Tableland | CNT |
| Cobar | |
| Cooma | COOM |
| Coonabarabran | COON |
| Coonamble | CBL |
| Dubbo | DUB |
| Gloucester | |
| Goulburn | GOUL |
| Grafton | |
| Gundagai | GUN |
| Hay | HAY |
| Hillston | HIL |
| Hume | HUM |
| Hunter | HUN |
| Kempsey | |
| Maitland | |
| Milparinka | |
| Molong | MOL |
| Moree | |
| Moss Vale | |
| Mudgee-Merrivale | MUD |
| Murray | MUR |
| Narranderra | NAR |
| Narrabri | NBR |
| Northern New E | NNE |
| Northern Slopes | NS |
| Nyngan | NYN |
| Riverina | |
| South Coast | STC |
| Tamworth | TAM |
| Tweed | |
| Wagga | WAG |
| Walgett | WAL |
| Wanaaring | |
| Wentworth | |
| Wilcannia | |
| Yass | YAS |
| Young | |



© State of New South Wales through NSW Department of Primary Industries 2009. You may copy, distribute and otherwise freely deal with this publication for any purpose, provided that you attribute NSW Department of Primary Industries as the owner.

The information contained in this publication is based on knowledge and understanding at the time of writing (May 2009). However, because of advances in knowledge, users are reminded of the need to ensure that information upon which they rely is up to date and to check currency of the information with the appropriate officer of New South Wales Department of Primary Industries or the user's independent adviser.

Recognising that some of the information in this document is provided by third parties, the State of New South Wales, the author and the publisher take no responsibility for the accuracy, currency, reliability and correctness of any information included in the document provided by third parties.

| AREA | AGE / SEX | | Strongyle Eggs per Gram | | | Larval culture/differentiation | | | | Liver fluke | | | Nematodirus | | |
|------|-----------|---|-------------------------|------|-------|--------------------------------|--------|------|------|-------------|---------|---------|-------------|-----|------|
| | | | Mean | Low | High | Haem% | Trich% | Ost% | Oes% | Coop% | Count 1 | Count 2 | Mean | Low | High |
| BOM | A | E | 60 | 40 | 80 | | | | | | | | | | 0 |
| BOM | A | E | 128 | 0 | 360 | | | | | | | | | | 8 |
| BRA | M | E | 244 | 0 | 440 | | | | | | | | | | 4 |
| CBL | A | E | 76 | 0 | 240 | | | | | | | | | | 36 |
| CBL | W | W | 120 | 0 | 240 | | | 97 | | 3 | | | | | 0 |
| CBL | W | M | 200 | 80 | 320 | | | | | | | | | | 20 |
| CBL | A | E | 340 | 200 | 480 | | | 97 | | 3 | | | | | 0 |
| CBL | W | W | 560 | 560 | 560 | | | | | | | | | | 20 |
| COO | M | E | 60 | 0 | 120 | | | | | | | | | | 0 |
| CTL | M | E | 80 | 40 | 120 | | | | | | | | | | 0 |
| CTL | W | M | 144 | 0 | 520 | | | | | | | | | | 56 |
| CTL | A | E | 180 | 160 | 200 | 28 | 7 | 57 | 8 | | 0 | 0 | | | 60 |
| DUB | W | M | 40 | 40 | 40 | | | | | | | | | | 0 |
| DUB | A | E | 320 | 120 | 520 | 93 | 6 | | | 1 | | | | | 0 |
| DUB | A | E | 620 | 560 | 680 | 97 | 3 | | | | | | | | 0 |
| DUB | A | E | 3212 | 1200 | 7680 | 85 | 15 | | | | | | | | 8 |
| FOR | A | E | 0 | 0 | 0 | | | | | | | | | | 0 |
| GOU | A | E | 0 | 0 | 0 | | | | | | | | | | 0 |
| GOU | W | M | 100 | 80 | 120 | | | | | | | | | | 0 |
| GOU | H | M | 100 | 80 | 120 | | | | | | | | | | 20 |
| GOU | W | M | 192 | 0 | 560 | | | | | | | | | | 68 |
| GUN | W | E | 32 | 0 | 240 | | | | | | | | | | 28 |
| GUN | M | E | 152 | 0 | 280 | | | 35 | | 65 | | | | | 28 |
| HAY | A | E | 1920 | 560 | 3280 | | | 95 | | 5 | | | | | 0 |
| HUM | A | E | 124 | 0 | 360 | | | 8 | | 92 | | | | | 0 |
| HUM | H | E | 180 | 120 | 240 | | | | | | | | | | 0 |
| HUM | A | E | 380 | 320 | 440 | | | | | | | | | | 0 |
| HUM | A | E | 740 | 520 | 960 | | | | | | | | | | 0 |
| HUN | M | M | 284 | 0 | 1280 | 63 | 37 | | | | | | | | 0 |
| HUN | W | R | 572 | 0 | 3200 | | | | | | | | | | 0 |
| MUD | H | E | 0 | 0 | 0 | | | | | | | | | | 0 |
| MUD | W | M | 0 | 0 | 0 | | | | | | | | | | 0 |
| NNE | H | W | 2752 | 40 | 14400 | | | | | | | | | | 0 |
| NNE | H | W | 3208 | 1240 | 4560 | | | | | | | | | | 28 |
| NNE | H | W | 3864 | 520 | 22400 | | | | | | | | | | 4 |
| NNE | H | W | 4860 | 320 | 20800 | | | | | | | | | | 8 |
| NNE | H | W | 4960 | 240 | 16400 | | | | | | | | | | 16 |
| NNE | H | W | 5156 | 0 | 25000 | | | | | | | | | | 16 |
| NNE | H | W | 5484 | 360 | 11200 | | | | | | | | | | 16 |
| NNE | H | W | 5568 | 80 | 16400 | | | | | | | | | | 28 |
| NNE | H | W | 6528 | 360 | 20400 | | | | | | | | | | 4 |
| NNE | H | W | 6556 | 0 | 19400 | | | | | | | | | | 4 |
| NNE | H | W | 6616 | 0 | 35800 | | | | | | | | | | 0 |
| NNE | H | W | 8320 | 40 | 24800 | | | | | | | | | | 12 |
| NNE | H | W | 8856 | 440 | 43000 | | | | | | | | | | 20 |
| NNE | H | W | 9056 | 40 | 32200 | | | | | | | | | | 0 |
| NNE | H | W | 9564 | 640 | 46400 | | | | | | | | | | 56 |
| NNE | H | W | 10516 | 600 | 33800 | | | | | | | | | | 32 |
| NNE | H | W | 10540 | 120 | 45400 | | | | | | | | | | 4 |
| NNE | H | W | 10952 | 400 | 2160 | | | | | | | | | | 4 |
| NNE | H | W | 11748 | 440 | 23600 | | | | | | | | | | 20 |
| NNE | H | W | 12152 | 2760 | 29800 | | | | | | | | | | 20 |
| NNE | H | W | 12280 | 920 | 24800 | | | | | | | | | | 16 |
| NNE | H | W | 12600 | 1480 | 18600 | | | | | | | | | | 0 |
| NNE | H | W | 18616 | 1720 | 55200 | | | | | | | | | | 32 |
| NYN | W | E | 104 | 0 | 400 | | | | | | | | | | 0 |
| NYN | W | W | 312 | 40 | 1200 | | | 85 | | 14 | | | | | 0 |
| RIV | W | E | 40 | 0 | 160 | | | | | | | | | | 32 |
| RIV | H | E | 48 | 0 | 280 | | | | | | | | | | 8 |
| RIV | A | E | 192 | 0 | 360 | | | 71 | | 22 | | | | | 0 |
| RIV | H | E | 228 | 0 | 600 | 2 | | 68 | | 28 | | | | | 36 |
| TAM | L | M | 896 | 240 | 1760 | | | 97 | | 3 | | | | | 0 |
| TAM | L | M | | | | | | | | | 0 | 0 | | | |
| WAG | W | M | 0 | 0 | 0 | | | | | | | | | | 8 |
| YAS | A | E | 24 | 0 | 80 | | | | | | | | | | 4 |
| YAS | A | E | 124 | 0 | 360 | 20 | | 42 | | 27 | | | | | 40 |
| YAS | A | E | 208 | 0 | 880 | 8 | | 31 | | 61 | | | | | 0 |
| YAS | A | E | 396 | 40 | 700 | | | | | | | | | | 52 |
| YAS | A | E | | | | | | | | | 0 | 0 | | | |
| YOU | W | M | 0 | 0 | 0 | | | | | | | | | | 8 |
| YOU | W | M | 16 | 0 | 120 | | | | | | | | | | 44 |
| YOU | A | E | 120 | 40 | 200 | | | | | | | | | | 20 |
| YOU | A | E | 120 | 120 | 120 | | | 11 | | 89 | | | | | 0 |
| YOU | W | M | 120 | 40 | 200 | | | | | | | | | | 0 |
| YOU | M | E | 180 | 80 | 280 | | | 7 | | 93 | | | | | 0 |
| YOU | A | E | 220 | 160 | 280 | | | 6 | | 94 | | | | | 0 |
| YOU | A | E | 228 | 0 | 800 | | | 24 | | 76 | | 0 | 0 | | 20 |
| YOU | M | M | 268 | 0 | 640 | 87 | | 10 | | 3 | | | | | 4 |

| AREA | AGE / SEX | | Strongyle Eggs per Gram | | | Larval culture/differentiation | | | | Liver fluke | | | Nematodiru: | | |
|------|-----------|---|-------------------------|------|-------|--------------------------------|--------|------|------|-------------|---------|---------|-------------|-----|--|
| | | | Mean | Low | High | Haem% | Trich% | Ost% | Oes% | Coop% | Count 1 | Count 2 | Mean | Low | |
| BOM | W | M | 0 | 0 | 0 | | | | | | 0 | 0 | 60 | | |
| BOM | M | E | 0 | 0 | 0 | | | | | | 1 | 0 | 0 | | |
| BOM | W | M | 0 | 0 | 0 | | | | | | 0 | 0 | 36 | | |
| BOM | H | W | 232 | 0 | 760 | | | | | | | | 4 | | |
| BRA | M | E | 0 | 0 | 0 | | | | | | | | 40 | | |
| BRA | W | M | 16 | 0 | 80 | | | | | | | | 36 | | |
| BRA | W | M | 20 | 0 | 40 | | | | | | | | 0 | | |
| BRA | H | E | 20 | 0 | 40 | | | | | | | | 20 | | |
| BRA | H | E | 80 | 40 | 120 | | | | | | | | 60 | | |
| BRA | A | E | 108 | 0 | 240 | 3 | 49 | 45 | 3 | | | | 16 | | |
| BRA | A | E | 624 | 0 | 1960 | 93 | 2 | 5 | | | | | 0 | | |
| BRA | H | E | 832 | 80 | 2640 | 77 | 4 | 18 | 1 | | | | 40 | | |
| COO | M | E | 100 | 0 | 200 | | | | | | | | 20 | | |
| CTL | A | E | 60 | 40 | 80 | | | | | | | | 0 | | |
| CTL | W | M | 204 | 0 | 560 | 14 | 32 | 42 | 12 | | | | 172 | | |
| CTL | W | M | 300 | 240 | 360 | 100 | | | | | 0 | 0 | 60 | | |
| CTL | W | M | 400 | 400 | 400 | | | | | | | | 80 | | |
| CTL | W | M | 468 | 120 | 1120 | 7 | 78 | 6 | 9 | | | | 44 | | |
| CTL | A | M | 1040 | 1000 | 1080 | | | | | | | | 0 | | |
| GOU | W | W | 60 | 40 | 80 | | | | | | | | 0 | | |
| GOU | W | M | 236 | 0 | 1800 | 4 | 73 | 23 | | | | | 64 | | |
| GUN | A | E | 8 | 0 | 80 | | | | | | 0 | 0 | 32 | | |
| GUN | A | E | 192 | 0 | 640 | 25 | 8 | 53 | 14 | | 0 | 0 | 4 | | |
| HUM | A | E | 4 | 0 | 40 | | | | | | | | 0 | | |
| HUM | W | E | 700 | 640 | 700 | | 78 | 20 | 2 | | | | 0 | | |
| HUN | M | M | 260 | 0 | 1160 | | | | | | | | 8 | | |
| HUN | A | M | 1572 | 0 | 10040 | | | | | | | | 0 | | |
| MUD | A | W | 320 | 200 | 440 | 44 | 31 | 25 | | | | | 0 | | |
| MUD | A | E | 440 | 360 | 520 | 34 | 58 | 8 | | | | | 0 | | |
| MUD | A | E | 1420 | 960 | 1880 | 69 | 25 | 6 | | | | | 0 | | |
| NYN | A | E | 300 | 200 | 400 | 3 | 69 | 19 | 9 | | | | 0 | | |
| NYN | W | M | 692 | 0 | 1960 | 96 | | | | | 4 | | 48 | | |
| RIV | A | E | 20 | 0 | 40 | | | | | | | 0 | 0 | 0 | |
| RIV | A | E | 40 | 40 | 40 | | | | | | | | 0 | | |
| WAG | H | E | 16 | 0 | 80 | | | | | | | 0 | 0 | 0 | |
| YAS | W | M | 0 | 0 | 0 | | | | | | | | 40 | | |
| YAS | W | M | 0 | 0 | 0 | | | | | | | | 0 | | |
| YAS | H | E | 0 | 0 | 0 | | | | | | | | 20 | | |
| YAS | W | M | 0 | 0 | 0 | | | | | | | | 60 | | |
| YAS | W | W | 0 | 0 | 0 | | | | | | | | 0 | | |
| YAS | W | W | 0 | 0 | 0 | | | | | | | | 0 | | |
| YAS | W | W | 0 | 0 | 0 | | | | | | | | 0 | | |
| YAS | W | M | 20 | 0 | 40 | | | | | | | 0 | 0 | 55 | |
| YAS | W | M | 44 | 0 | 200 | | | | | | | | 64 | | |
| YAS | W | W | 52 | 0 | 200 | | | | | | | | 0 | | |
| YAS | M | E | 148 | 0 | 520 | | 23 | 77 | | | | 0 | 0 | 4 | |
| YAS | W | W | 332 | 80 | 680 | | 12 | 88 | | | | | 60 | | |
| YAS | M | E | 332 | 40 | 640 | | | | | | | | 24 | | |
| YAS | M | E | 348 | 0 | 1040 | | | | | | | 0 | 0 | 20 | |
| YOU | W | M | 0 | 0 | 0 | | | | | | | | 0 | | |
| YOU | A | E | 0 | 0 | 0 | | | | | | | | 0 | | |
| YOU | W | M | 0 | 0 | 0 | | | | | | | | 4 | | |
| YOU | A | E | 0 | 0 | 0 | | | | | | | | 0 | | |
| YOU | W | E | 4 | 0 | 40 | | | | | | | | 0 | | |
| YOU | W | W | 16 | 0 | 80 | | | | | | | | 20 | | |
| YOU | W | E | 20 | 0 | 40 | | | | | | | | 0 | | |

| AREA | AGE / SEX | | Strongyle Eggs per Gram | | | Larval culture/differentiation | | | | Liver fluke | | Nematodiru | | |
|------|-----------|-----|-------------------------|------|-------|--------------------------------|--------|------|------|-------------|---------|------------|------|-----|
| | | | Mean | Low | High | Haem% | Trich% | Ost% | Oes% | Coop% | Count 1 | Count 2 | Mean | Low |
| BRE | W | W | 156 | 0 | 320 | | 23 | 69 | 8 | | | | | 68 |
| CBL | W | W | 352 | 120 | 600 | | 2 | 77 | 21 | | | | | 20 |
| CBL | W | W | 400 | 0 | 1600 | | 35 | 59 | 6 | | | | | 40 |
| CBL | W | E | 876 | 320 | 2360 | | 59 | 36 | 5 | | | | | 56 |
| CNT | A | E | 0 | 0 | 0 | | | | | | | | | |
| CNT | A | E | 0 | 0 | 0 | | | | | | | | | |
| CNT | W | MXD | 0 | 0 | 0 | | | | | | | | | 20 |
| CNT | W | E | 0 | 0 | 0 | | | | | | | | | 80 |
| CNT | A | E | 40 | 0 | 80 | | | | | | | | | |
| CNT | A | E | 40 | 40 | 40 | | | | | | | | | |
| CNT | A | E | 40 | 40 | 40 | | | | | | | | | |
| CNT | W | ? | 48 | 0 | 160 | | | | | | | | | 116 |
| CNT | A | E | 72 | 0 | 160 | | | | | | | | | |
| CNT | W | MXD | 80 | 80 | 80 | | | | | | | | | |
| CNT | W | E | 80 | 80 | 80 | | | | | | | | | 60 |
| CNT | H | E | 104 | 0 | 360 | | | | | | | | | 40 |
| CNT | MXD | E | 120 | 80 | 160 | | | | | | | | | |
| CNT | A | MXD | 140 | 120 | 160 | | | | | | | | | |
| CNT | A | E | 140 | 120 | 160 | | | | | | | | | |
| CNT | W | MXD | 140 | 0 | 280 | | | | | | | | | 120 |
| CNT | A | E | 160 | 160 | 160 | | | | | | | | | |
| CNT | A | E | 200 | 160 | 240 | | | | | | | | | |
| CNT | A | E | 200 | 80 | 320 | | | | | | | | | |
| CNT | A | E | 240 | 120 | 360 | | | | | | | | | |
| CNT | H | E | 240 | 120 | 360 | | | 34 | 62 | 4 | | | | 60 |
| CNT | A | E | 268 | 40 | 600 | | | | | | | | | 4 |
| CNT | ? | E | 300 | 240 | 360 | | | 79 | 2 | 19 | | | | |
| CNT | A | E | 300 | 280 | 320 | 16 | 28 | 11 | 46 | | | | | |
| CNT | A | E | 320 | 240 | 400 | | | | | | | | | |
| CNT | A | E | 360 | 240 | 480 | | | | | | | | | 20 |
| CNT | A | E | 400 | 400 | 400 | | | | | | | | | |
| CNT | A | E | 420 | 80 | 760 | | | | | | | | | 20 |
| CNT | S | MXD | 460 | 440 | 480 | 36 | 64 | | | | | | | |
| CNT | A | E | 540 | 0 | 1080 | 97 | 1 | 2 | | | | | | |
| CNT | A | E | 560 | 520 | 600 | | | | | | | | | 20 |
| CNT | A | W | 600 | 340 | 840 | | | | | | Neg | | | 20 |
| CNT | A | E | 680 | 440 | 920 | | | | | | | | | 40 |
| CNT | H | E | 696 | 360 | 1200 | | 73 | 12 | 15 | | Neg | | | 56 |
| CNT | A | E | 720 | 600 | 840 | | | | | | Neg | | | |
| CNT | H | E | 820 | 200 | 1440 | | | | | | | | | |
| CNT | A | E | 1060 | 640 | 1480 | | | | | | | | | |
| COO | A | MXD | 0 | 0 | 0 | | | | | | | | | |
| COO | A | E | 20 | 0 | 40 | | | | | | | | | |
| COO | W | W | 20 | 0 | 40 | | | | | | | | | 100 |
| COO | W | W | 60 | 40 | 80 | | | | | | | | | |
| COO | A | E | 60 | 40 | 80 | | | | | | | | | |
| COO | H | E | 140 | 0 | 280 | | | 50 | 11 | 39 | | | | 20 |
| COO | A | E | 164 | 0 | 760 | 94 | 5 | 1 | | | | | | |
| COO | W | E | 204 | 0 | 1240 | 92 | 5 | 1 | 2 | | | | | 80 |
| COO | H | E | 452 | 40 | 1640 | 56 | 37 | 5 | 2 | | | | | |
| COO | W | MXD | 1088 | 160 | 3280 | 65 | 32 | 6 | | | | | | 8 |
| COO | A | MXD | 1440 | 40 | 3960 | | | | | | | | | 16 |
| COO | W | ? | 1620 | 840 | 2680 | 89 | 10 | | 1 | | | | | 20 |
| COO | A | E | 1708 | 800 | 2440 | 98 | 2 | | | | | | | |
| COO | W | R | 2502 | 80 | 11360 | | | | | | | | | 27 |
| COON | W | ? | 220 | 120 | 320 | 8 | 41 | 51 | | | | | | 80 |
| COON | ? | E | 252 | 0 | 1360 | 97 | 3 | | | | | | | |
| CTL | W | M | 28 | 0 | 120 | | | | | | | | | 28 |
| CTL | H | M | 0 | 0 | 0 | | | | | | | | | 0 |
| CTL | A | W | 2200 | 2120 | 2280 | | | | | | | | | 40 |
| CTL | A | W | 160 | 0 | 320 | | | | | | | | | 0 |
| CTL | W | M | 120 | 0 | 240 | | | | | | | | | 100 |
| DUB | A | E | 24 | 0 | 80 | | | | | | | | | |
| DUB | A | E | 92 | 0 | 200 | | | | | | | | | |
| DUB | W | E | 120 | 0 | 520 | 91 | 8 | 1 | | | | | | 32 |
| DUB | A | E | 160 | 0 | 440 | 2 | 97 | 1 | | | | | | |
| DUB | W | W | 200 | 160 | 240 | | | | | | | | | |
| DUB | W | E | 356 | 0 | 1880 | | | 97 | 2 | 1 | | | | 36 |
| DUB | A | E | 440 | 0 | 1120 | 66 | 17 | 17 | | | | | | |
| DUB | A | E | 552 | 40 | 1240 | 24 | 36 | 13 | 28 | | | | | 76 |
| DUB | A | E | 632 | 0 | 2040 | | | | | | | | | |
| DUB | A | E | 787 | 40 | 2680 | | | 75 | 9 | 16 | | | | |
| DUB | W | MXD | 1112 | 0 | 5600 | 99 | 1 | | | | | | | 100 |
| DUB | A | E | 1220 | 1080 | 1360 | 83 | 8 | 9 | | | | | | 120 |
| DUB | W | MXD | 1300 | 80 | 4920 | 89 | 9 | 2 | | | | | | 8 |
| DUB | H | M | 300 | 240 | 360 | | | | | | | | | 40 |
| DUB | H | R | 880 | 840 | 920 | 71 | 20 | 9 | | | | | | 20 |
| DUB | W | M | 724 | 240 | 1600 | 9 | 75 | 16 | | | | | | 12 |
| FOR | A | E | 100 | 80 | 120 | | | | | | | | | |
| FOR | W | MXD | 100 | 80 | 120 | | | | | | | | | 140 |
| FOR | MXD | E | 532 | 120 | 1280 | | | | | | | | | 32 |
| FOR | A | E | 160 | 0 | 440 | | | | | | | | | 8 |
| LACH | W | MXD | 320 | 120 | 640 | | | 92 | 5 | 3 | | | | 8 |
| MOL | W | MXD | 120 | 40 | 200 | | | 34 | 66 | | YES | | | |
| MOL | A | E | 140 | 80 | 200 | | | | | | | | | |
| MOL | W | MXD | 220 | 120 | 320 | 92 | 5 | 3 | | | | | | |
| MOL | A | E | 640 | 280 | 1000 | | | | | | | | | |
| MOL | W | W | 644 | 280 | 1240 | | | | | | | | | 36 |
| MUD | W | MXD | 0 | 0 | 0 | | | | | | | | | |
| MUD | W | MXD | 16 | 0 | 40 | | | | | | | | | 12 |

| | | | | | | | | | | | | |
|----------|---|-----|------|------|------|----|----|----|----|-----|--|-----|
| MUD | W | MXD | 24 | 0 | 80 | | | | | | | 24 |
| MUD | W | MXD | 76 | 0 | 760 | | | | | | | 16 |
| MUD | H | ? | 84 | 0 | 160 | | | | | | | |
| MUD | A | E | 100 | 40 | 160 | 2 | 89 | 8 | 1 | | | |
| MUD | W | MXD | 120 | 40 | 200 | | | | | | | |
| MUD | ? | ? | 240 | 80 | 400 | | | | | | | 40 |
| MUD | A | E | 260 | 160 | 360 | | | | | | | |
| MUD | H | E | 288 | 80 | 880 | 72 | 26 | 2 | | | | 20 |
| MUD | H | E | 400 | 160 | 640 | | 73 | 2 | 25 | | | |
| MUD | W | MXD | 401 | 40 | 401 | | | | | | | |
| MUD | H | W | 560 | 160 | 1920 | | 53 | 6 | 41 | No | | |
| MUD | A | E | 1344 | 520 | 3360 | 10 | 81 | 1 | 8 | | | 4 |
| MUD | A | MXD | 5712 | 4400 | 7120 | 70 | 10 | 60 | 14 | | | |
| MUD | W | M | 656 | 0 | 2440 | 49 | 44 | 2 | 5 | | | 16 |
| MUD | A | E | 904 | 40 | 1600 | | 89 | 11 | | | | 0 |
| MUD | A | E | 1180 | 160 | 3120 | | 94 | 6 | | | | 0 |
| MUD | H | M | 1168 | 520 | 2120 | 73 | 22 | 2 | 3 | | | 60 |
| MUD | A | M | 3916 | 160 | 1600 | 85 | 13 | | 2 | | | 76 |
| NYN | A | E | 80 | 40 | 120 | | | | | | | |
| NYN | A | E | 240 | 240 | 240 | | | | | | | |
| NYN | W | E | 720 | 680 | 760 | | 38 | 48 | 14 | | | 140 |
| NYN | W | E | 1180 | 1160 | 1200 | | | | | | | |
| NYN | W | W | | | | | | | | NEG | | |
| NYN | W | R | | | | | | | | | | |
| NYN | W | R | | | | | | | | | | |
| NYN | W | M | 460 | 440 | 480 | 1 | 93 | 6 | | | | 20 |
| RIVERINA | A | W | 0 | 0 | 0 | | | | | | | 40 |
| RIVERINA | H | W | 4 | 0 | 40 | | | | | | | 64 |
| RIVERINA | A | E | 28 | 0 | 240 | | | | | | | |
| RIVERINA | A | E | 80 | 80 | 80 | | | | | | | |
| TAM | H | W | 276 | 40 | 640 | 1 | 83 | 16 | | | | 28 |
| TAM | A | W | 372 | 80 | 1160 | | 80 | 20 | | | | 36 |
| YOU | W | MXD | 0 | 0 | 0 | | | | | | | 60 |
| YOU | W | E | 40 | 40 | 40 | | | | | | | 20 |
| YOU | A | E | 108 | 0 | 280 | | | | | | | 8 |
| YOU | W | MXD | 156 | 0 | 600 | | 55 | 45 | | | | 16 |
| YOU | H | E | 224 | 40 | 480 | | | | | | | 12 |
| YOU | A | E | 324 | 40 | 880 | | 86 | 11 | 3 | | | 12 |
| YOU | W | W | 340 | 280 | 400 | 1 | 86 | 13 | | | | 20 |

| AREA | AGE / SEX | Strongyle Eggs per Gram | | | Larval culture/differentiation | | | | Liver fluke | | Nematodiru: | | |
|----------|-----------|-------------------------|------|------|--------------------------------|--------|------|------|-------------|---------|-------------|------|-----|
| | | Mean | Low | High | Haem% | Trich% | Ost% | Oes% | Coop% | Count 1 | Count 2 | Mean | Low |
| BOURKE | W | MXD | 60 | 40 | 80 | | | | | | | | 60 |
| BOURKE | W | MXD | 80 | 0 | 160 | | | | | | | | |
| CBL | A | E | 4 | 0 | 40 | | | | | | | | |
| CNT | W | MXD | 44 | 0 | 120 | | | | | | | | 48 |
| CNT | A | W | 68 | 0 | 200 | | | | | NEG | | | 16 |
| CNT | MXD | MXD | 100 | 80 | 120 | 3 | 85 | 8 | 4 | | | | 20 |
| CNT | ? | E | 100 | 40 | 160 | 5 | 87 | 8 | | | | | 60 |
| CNT | ? | E | 132 | 40 | 520 | | 79 | 21 | | | | | 148 |
| CNT | ? | ? | 176 | 0 | 760 | 99 | | 1 | | | | | |
| CNT | A | E | 180 | 0 | 320 | | | | | | | | 20 |
| CNT | A | E | 188 | 0 | 760 | 54 | 36 | 4 | 6 | | | | |
| CNT | A | E | 224 | 0 | 520 | | | | | | | | 4 |
| CNT | A | E | 284 | 80 | 720 | | | | | | | | |
| CNT | A | E | 416 | 40 | 800 | | | | | | | | 44 |
| CON | ? | ? | 96 | 0 | 400 | | | | | Neg | | | 8 |
| COON | A | E | 200 | 40 | 360 | 7 | 89 | 4 | | | | | |
| COON | A | E | 384 | 40 | 840 | 90 | 8 | 2 | | | | | 12 |
| COON | A | E | 444 | 40 | 920 | 86 | 13 | | 1 | | | | |
| COON | A | E | 520 | 120 | 920 | 4 | 95 | 1 | | | | | |
| COON | A | E | 680 | 160 | 1200 | 32 | 51 | 2 | 15 | | | | |
| COON | A | E | 820 | 800 | 840 | 78 | 13 | | 9 | | | | |
| COON | A | E | 3428 | 640 | 8840 | 65 | 28 | 1 | 6 | | | | 20 |
| COON | MXD | E | 3964 | 240 | 9200 | 96 | 4 | | | | | | |
| COON | ? | MXD | 4328 | 1600 | 7800 | | | | | | | | 12 |
| DUB | W | MXD | 80 | 80 | 80 | | | | | | | | |
| DUB | ? | ? | 120 | 120 | 120 | 1 | 97 | 2 | | | | | |
| DUB | W | MXD | 140 | 120 | 160 | 9 | 78 | 13 | | | | | 20 |
| FOR | A | MXD | 824 | 0 | 3760 | 38 | 54 | | 8 | | | | |
| GUN | W | W | 0 | 0 | 0 | | | | | | | | 28 |
| MOL | A | E | 180 | 160 | 200 | | | | | | | | |
| MOL | H | E | 280 | 120 | 440 | | | | | | | | |
| MOL | A | E | 700 | 640 | 760 | | | | | | | | |
| MOL | A | E | 1072 | 80 | 3000 | 95 | 3 | | 2 | | | | |
| MUD | A | E | 0 | 0 | 0 | | | | | | | | |
| MUD | H | W | 0 | 0 | 0 | | | | | | | | |
| MUD | ? | E | 0 | 0 | 0 | | | | | | | | |
| MUD | ? | MXD | 20 | 0 | 40 | | | | | | | | |
| MUD | W | MXD | 24 | 0 | 80 | | | | | | | | 40 |
| MUD | W | MXD | 68 | 0 | 320 | | | | | | | | 348 |
| MUD | W | MXD | 240 | 200 | 280 | | 83 | 17 | | | | | 220 |
| MUD | A | E | 256 | 0 | 720 | 32 | 14 | 7 | 48 | | | | 8 |
| MUD | A | E | 300 | 0 | 640 | | | | | | | | |
| MUD | A | E | 500 | 360 | 640 | | 96 | 4 | | | | | |
| MUD | H | E | 716 | 0 | 2400 | 5 | 25 | 5 | 15 | | | | 4 |
| MUD | W | MXD | 816 | 80 | 1680 | 74 | 25 | 1 | | | | | 40 |
| MUD | W | MXD | 1512 | 240 | 6480 | 36 | 58 | 1 | 5 | | | | 84 |
| MUD | ? | ? | 3620 | 120 | 7120 | 99 | | | 1 | | | | |
| NYN | W | W | 280 | 160 | 400 | | | | | | | | 20 |
| WESTERNH | MXD | | 256 | 80 | 640 | | 54 | 36 | | | | | 36 |
| YOU | A | E | 0 | 0 | 0 | | | | | | | | |
| YOU | A | E | 0 | 0 | 0 | | | | | | | | |
| YOU | W | W | 0 | 0 | 0 | | | | | | | | 40 |

| AREA | AGE / SEX | Strongyle Eggs per Gram | | | Larval culture/differentiation | | | | | Liver fluke | | Nematodirus | | | |
|----------|-----------|-------------------------|-----|------|--------------------------------|--------|------|------|-------|-------------|---------|-------------|-----|------|-----|
| | | Mean | Low | High | Haem% | Trich% | Ost% | Oes% | Coop% | Count 1 | Count 2 | Mean | Low | High | |
| ARMIDALE | n/a | Ewes | 0 | 0 | 0 | | | | | | | | | | 0 |
| ARMIDALE | n/a | Weaners | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0 |
| ARMIDALE | n/a | Wethers | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0 |
| ARMIDALE | n/a | | 0 | 0 | 0 | 83 | 10 | 7 | 0 | 0 | | | | | 0 |
| ARMIDALE | n/a | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 120 |
| ARMIDALE | n/a | Ewes | 4 | 0 | 40 | 0 | 85 | 15 | 0 | 0 | 0 | | | | 0 |
| ARMIDALE | n/a | Mixed sex | 8 | 0 | 40 | 0 | 0 | 0 | 0 | 0 | | | | | 0 |
| ARMIDALE | n/a | Mixed sex | 8 | 0 | 40 | 0 | 90 | 10 | 0 | 0 | | | | | 0 |
| ARMIDALE | n/a | Wethers | 9 | 0 | 80 | 100 | 0 | 0 | 0 | 0 | | | | | 0 |
| ARMIDALE | n/a | Ewes | 16 | 0 | 80 | | | | | | | | | | 0 |
| ARMIDALE | n/a | Weaners | 16 | 0 | 80 | | | | | | | | | | 0 |
| ARMIDALE | n/a | Ewes | 20 | 0 | 80 | 100 | 0 | 0 | 0 | 0 | | | | | 0 |
| ARMIDALE | n/a | Ewes | 24 | 0 | 200 | 83 | 17 | 0 | 0 | 0 | | | | | 0 |
| ARMIDALE | n/a | Ewes | 24 | 0 | 120 | | | | | | | | | | 0 |
| ARMIDALE | n/a | Ewes | 28 | 0 | 120 | | | | | | | | | | 0 |
| ARMIDALE | n/a | Lambs | 28 | 0 | 200 | | | | | | | | | | 0 |
| ARMIDALE | n/a | Ewes & lambs | 32 | 0 | 120 | | | | | | 0 | | | | 0 |
| ARMIDALE | n/a | Ewes | 36 | 0 | 240 | 0 | 95 | 5 | 0 | 0 | | | | | 0 |
| ARMIDALE | n/a | Ewes | 40 | 0 | 400 | | | | | | 0 | | | | 0 |
| ARMIDALE | n/a | | 44 | 0 | 120 | 0 | 95 | 5 | 0 | 0 | | | | | 0 |
| ARMIDALE | n/a | Ewes | 48 | 0 | 320 | 64 | 22 | 14 | 0 | 0 | | | | | 0 |
| ARMIDALE | n/a | Mixed sex | 48 | 0 | 120 | 0 | 96 | 4 | 0 | 0 | | | | | 0 |
| ARMIDALE | n/a | Ewes | 48 | 0 | 200 | 13 | 57 | 30 | 0 | 0 | | | | | 0 |
| ARMIDALE | n/a | Weaners | 52 | 0 | 120 | 20 | 66 | 14 | 0 | 0 | | | | | 60 |
| ARMIDALE | n/a | Wethers | 60 | 0 | 160 | 0 | 95 | 5 | 0 | 0 | | | | | 0 |
| ARMIDALE | n/a | Ewes | 72 | 0 | 280 | 38 | 48 | 7 | 7 | 0 | | | | | 0 |
| ARMIDALE | n/a | Ewes | 76 | 0 | 320 | 98 | 2 | 0 | 0 | 0 | | | | | 0 |
| ARMIDALE | n/a | Ewes | 84 | 0 | 280 | 14 | 37 | 49 | 0 | 0 | | | | | 0 |
| ARMIDALE | n/a | Ewes & lambs | 92 | 0 | 360 | 87 | 10 | 3 | 0 | 0 | | | | | 0 |
| ARMIDALE | n/a | Lambs | 92 | 0 | 280 | 0 | 90 | 10 | 0 | 0 | | | | | 0 |
| ARMIDALE | n/a | Ewes | 104 | 0 | 480 | 53 | 41 | 5 | 1 | 0 | | | | | 0 |
| ARMIDALE | n/a | Lambs | 104 | 0 | 280 | 6 | 18 | 26 | 1 | 49 | 0 | | | | 8 |
| ARMIDALE | n/a | Wethers | 116 | 0 | 400 | 0 | 94 | 6 | 0 | 0 | | | | | 0 |
| ARMIDALE | n/a | Lambs | 116 | 0 | 480 | 94 | 1 | 3 | 0 | 2 | 0 | | | | 0 |
| ARMIDALE | n/a | Weaners | 116 | 40 | 320 | 23 | 66 | 7 | 3 | 1 | | | | | 68 |
| ARMIDALE | n/a | Weaners | 120 | 0 | 280 | 80 | 11 | 6 | 0 | 3 | | | | | 0 |
| ARMIDALE | n/a | Ewes | 128 | 0 | 320 | 62 | 24 | 4 | 10 | 0 | | | | | 0 |
| ARMIDALE | n/a | Wethers | 128 | 0 | 240 | 0 | 100 | 0 | 0 | 0 | | | | | 0 |
| ARMIDALE | n/a | Ewes | 132 | 0 | 520 | 6 | 76 | 8 | 10 | 0 | 0 | | | | 0 |
| ARMIDALE | n/a | Ewes | 132 | 0 | 480 | 3 | 89 | 8 | 0 | 0 | | | | | 0 |
| ARMIDALE | n/a | Ewes | 140 | 0 | 1200 | 83 | 13 | 3 | 1 | 0 | | | | | 0 |
| ARMIDALE | n/a | | 140 | 0 | 360 | 0 | 89 | 11 | 0 | 0 | | | | | 0 |
| ARMIDALE | n/a | Ewes | 144 | 0 | 400 | | | | | | 0 | | | | 0 |
| ARMIDALE | n/a | Ewes & lambs | 152 | 0 | 600 | | | | | | | | | | 0 |
| ARMIDALE | n/a | Ewes | 156 | 0 | 1040 | 0 | 83 | 8 | 9 | 0 | | | | | 20 |
| ARMIDALE | n/a | Wethers | 160 | 0 | 680 | 100 | 0 | 0 | 0 | 0 | | | | | 0 |
| ARMIDALE | n/a | Wethers | 164 | 0 | 800 | 8 | 72 | 13 | 7 | 0 | 0 | | | | 0 |
| ARMIDALE | n/a | Weaners | 164 | 0 | 320 | 0 | 87 | 13 | 0 | 0 | 0 | | | | 8 |
| ARMIDALE | n/a | Weaners | 168 | 0 | 600 | 97 | 3 | 0 | 0 | 0 | | | | | 44 |
| ARMIDALE | n/a | Weaners | 176 | 0 | 680 | 83 | 13 | 4 | 0 | 0 | | | | | 0 |
| ARMIDALE | n/a | | 176 | 0 | 480 | 49 | 30 | 13 | 1 | 7 | | | | | 20 |
| ARMIDALE | n/a | Weaners | 178 | 0 | 400 | 55 | 16 | 11 | 0 | 18 | | | | | 22 |
| ARMIDALE | n/a | Ewes | 184 | 0 | 600 | 98 | 0 | 2 | 0 | 0 | | | | | 0 |
| ARMIDALE | n/a | Lambs | 192 | 0 | 520 | 100 | 0 | 0 | 0 | 0 | | | | | 0 |
| ARMIDALE | n/a | Ewes | 196 | 0 | 720 | 6 | 88 | 6 | 0 | 0 | | | | | 0 |
| ARMIDALE | n/a | Ewes | 200 | 0 | 920 | 23 | 28 | 1 | 48 | 0 | | | | | 0 |
| ARMIDALE | n/a | Ewes | 212 | 0 | 1280 | 19 | 65 | 15 | 1 | 0 | | | | | 0 |
| ARMIDALE | n/a | Lambs | 220 | 0 | 640 | 0 | 98 | 2 | 0 | 0 | | | | | 0 |
| ARMIDALE | n/a | Weaners | 220 | 0 | 600 | 53 | 36 | 10 | 1 | 0 | | | | | 36 |
| ARMIDALE | n/a | Ewes | 228 | 0 | 880 | 5 | 76 | 19 | 0 | 0 | 0 | | | | 0 |
| ARMIDALE | n/a | Ewes & lambs | 232 | 0 | 600 | 87 | 10 | 3 | 0 | 0 | | | | | 4 |
| ARMIDALE | n/a | Weaners | 252 | 0 | 880 | | | | | | | | | | 12 |
| ARMIDALE | n/a | Ewes | 252 | 0 | 640 | 82 | 9 | 1 | 8 | 0 | | | | | 0 |
| ARMIDALE | n/a | Ewes | 264 | 0 | 760 | 93 | 5 | 2 | 0 | 0 | 76 | | | | 0 |
| ARMIDALE | n/a | Ewes | 264 | 0 | 880 | 6 | 85 | 1 | 8 | 0 | | | | | 0 |
| ARMIDALE | n/a | Lambs | 268 | 0 | 560 | 90 | 2 | 0 | 2 | 6 | 0 | | | | 0 |
| ARMIDALE | n/a | Ewes | 272 | 0 | 1360 | 3 | 93 | 4 | 0 | 0 | | | | | 0 |
| ARMIDALE | n/a | Weaners | 288 | 0 | 880 | 24 | 67 | 9 | 0 | 0 | | | | | 16 |
| ARMIDALE | n/a | Wethers | 290 | 200 | 400 | 0 | 56 | 20 | 24 | 0 | | | | | 0 |
| ARMIDALE | n/a | Mixed sex | 316 | 120 | 880 | 14 | 62 | 9 | 15 | 0 | | | | | 4 |
| ARMIDALE | n/a | Ewes & lambs | 320 | 120 | 760 | 83 | 16 | 1 | 0 | 0 | | | | | 0 |
| ARMIDALE | n/a | Ewes | 324 | 0 | 1120 | | | | | | | | | | 0 |
| ARMIDALE | n/a | Ewes | 328 | 40 | 1280 | 63 | 37 | 0 | 0 | 0 | | | | | 0 |
| ARMIDALE | n/a | Weaners | 328 | 40 | 1000 | 6 | 74 | 20 | 0 | 0 | 0 | | | | 0 |
| ARMIDALE | n/a | Lambs | 328 | 0 | 1160 | 100 | 0 | 0 | 0 | 0 | 0 | | | | 0 |
| ARMIDALE | n/a | Wethers | 336 | 0 | 880 | 46 | 43 | 3 | 8 | 0 | | | | | 0 |
| ARMIDALE | n/a | | 372 | 0 | 1360 | 91 | 7 | 2 | 0 | 0 | 0 | | | | 8 |
| ARMIDALE | n/a | Ewes | 396 | 200 | 600 | 32 | 26 | 7 | 35 | 0 | | | | | 0 |
| ARMIDALE | n/a | Ewes | 408 | 0 | 2360 | 49 | 44 | 7 | 0 | 0 | 0 | | | | 0 |
| ARMIDALE | n/a | | 416 | 0 | 800 | 0 | 99 | 1 | 0 | 0 | | | | | 0 |
| ARMIDALE | n/a | Weaners | 424 | 80 | 1320 | 12 | 84 | 4 | 0 | 0 | | | | | 56 |
| ARMIDALE | n/a | Wethers | 448 | 0 | 1320 | 9 | 87 | 3 | 1 | 0 | | | | | 0 |
| ARMIDALE | n/a | Wethers | 460 | 0 | 2600 | 89 | 7 | 4 | 0 | 0 | | | | | 0 |
| ARMIDALE | n/a | Wethers | 480 | 0 | 1280 | | | | | | 0 | | | | 0 |
| ARMIDALE | n/a | Wethers | 480 | 120 | 1680 | 84 | 11 | 2 | 3 | 0 | 0 | | | | 8 |
| ARMIDALE | n/a | Ewes | 504 | 0 | 1200 | 96 | 4 | 0 | 0 | 0 | | | | | 0 |
| ARMIDALE | n/a | Wethers | 544 | 40 | 1480 | | | | | | 0 | | | | 0 |
| ARMIDALE | n/a | Ewes | 560 | 40 | 1560 | 87 | 9 | 3 | 1 | 0 | | | | | 0 |
| ARMIDALE | n/a | Weaners | 564 | 200 | 960 | 0 | 100 | 0 | 0 | 0 | 0 | | | | 0 |
| ARMIDALE | n/a | Weaners | 572 | 160 | 1080 | 85 | 10 | 2 | 2 | 1 | | | | | 4 |
| ARMIDALE | n/a | Ewes | 588 | 0 | 4160 | 92 | 3 | 5 | 0 | 0 | | | | | 0 |
| ARMIDALE | n/a | Ewes | 636 | 0 | 5000 | 35 | 64 | 1 | 0 | 0 | | | | | 0 |
| ARMIDALE | n/a | Lambs | 640 | 80 | 1440 | 2 | 91 | 7 | 0 | 0 | | | | | 16 |
| ARMIDALE | n/a | Ewes | 660 | 0 | 3720 | 100 | 0 | 0 | 0 | 0 | 0 | | | | 0 |
| ARMIDALE | n/a | | 668 | 200 | 1160 | 0 | 96 | 4 | 0 | 0 | 0 | | | | 0 |
| ARMIDALE | n/a | Ewes | 684 | 0 | 2920 | 98 | 2 | 0 | 0 | 0 | 0 | | | | 0 |
| ARMIDALE | n/a | Ewes | 760 | 40 | 1840 | 94 | 6 | 0 | 0 | 0 | 0 | | | | 0 |
| ARMIDALE | n/a | Wethers | 784 | 40 | 2080 | 70 | 23 | 3 | 4 | 0 | | | | | 0 |

| AREA | AGE / SEX | Strongyle Eggs per Gram | | | Larval culture/differentiation | | | | Liver fluke | | Nematodirus | | | |
|----------------------|-----------|-------------------------|-------|------|--------------------------------|--------|------|------|-------------|---------|-------------|------|-----|------|
| | | Mean | Low | High | Haem% | Trich% | Ost% | Oes% | Coop% | Count 1 | Count 2 | Mean | Low | High |
| ARMIDALE | n/a | Ewes | 820 | 0 | 5560 | | | | | | 0 | | | 0 |
| ARMIDALE | n/a | Weaners | 900 | 280 | 1760 | 14 | 81 | 5 | 0 | 0 | | | | 0 |
| ARMIDALE | n/a | Wethers | 956 | 200 | 2080 | 52 | 25 | 10 | 13 | 0 | | | | 0 |
| ARMIDALE | n/a | Weaners | 972 | 200 | 2880 | 96 | 3 | 1 | 0 | 0 | | | | 12 |
| ARMIDALE | n/a | | 976 | 280 | 2920 | 55 | 45 | 0 | 0 | 0 | | | | 0 |
| ARMIDALE | n/a | Weaners | 1024 | 120 | 2000 | | | | | | | | | 8 |
| ARMIDALE | n/a | Wethers | 1044 | 40 | 2840 | 0 | 93 | 3 | 4 | 0 | | | | 4 |
| ARMIDALE | n/a | Rams | 1048 | 280 | 1800 | 100 | 0 | 0 | 0 | 0 | | | | 196 |
| ARMIDALE | n/a | | 1088 | 560 | 2480 | 2 | 73 | 7 | 0 | 18 | | | | 0 |
| ARMIDALE | n/a | Weaners | 1180 | 640 | 2520 | 6 | 86 | 8 | 0 | 0 | | | | 8 |
| ARMIDALE | n/a | Ewes | 1268 | 0 | 4560 | 93 | 7 | 0 | 0 | 0 | | | | 0 |
| ARMIDALE | n/a | | 1324 | 920 | 2000 | 34 | 59 | 2 | 0 | 5 | | | | 0 |
| ARMIDALE | n/a | Ewes | 1336 | 240 | 5040 | 87 | 7 | 3 | 3 | 0 | | | | 0 |
| ARMIDALE | n/a | Lambs | 1380 | 0 | 6440 | 100 | 0 | 0 | 0 | 0 | | | | 0 |
| ARMIDALE | n/a | Hoggets | 1392 | 80 | 4080 | 77 | 21 | 2 | 0 | 0 | | | | 16 |
| ARMIDALE | n/a | Ewes | 1396 | 80 | 3720 | 98 | 2 | 0 | 0 | 0 | | | | 0 |
| ARMIDALE | n/a | Ewes & lambs | 1428 | 160 | 3760 | 100 | 0 | 0 | 0 | 0 | | | | 0 |
| ARMIDALE | n/a | Ewes | 1500 | 160 | 3440 | 94 | 0 | 6 | 0 | 0 | 2 | | | 0 |
| ARMIDALE | n/a | Wethers | 1640 | 0 | 3200 | 87 | 13 | 0 | 0 | 0 | 0 | | | 0 |
| ARMIDALE | n/a | Weaners | 1740 | 480 | 3560 | 100 | 0 | 0 | 0 | 0 | | | | 28 |
| ARMIDALE | n/a | Lambs | 1840 | 520 | 4520 | 100 | 0 | 0 | 0 | 0 | | | | 8 |
| ARMIDALE | n/a | Wethers | 1848 | 120 | 6920 | 94 | 3 | 2 | 1 | 0 | | | | 0 |
| ARMIDALE | n/a | Weaners | 1988 | 120 | 5320 | 97 | 3 | 0 | 0 | 0 | | | | 4 |
| ARMIDALE | n/a | Ewes | 2084 | 360 | 5680 | 91 | 9 | 0 | 0 | 0 | | | | 0 |
| ARMIDALE | n/a | Weaners | 2216 | 280 | 5360 | 14 | 84 | 2 | 0 | 0 | | | | 12 |
| ARMIDALE | n/a | Weaners | 2356 | 680 | 7520 | 58 | 40 | 1 | 1 | 0 | | | | 0 |
| ARMIDALE | n/a | Wethers | 2416 | 240 | 7440 | 74 | 24 | 1 | 1 | 0 | | | | 4 |
| ARMIDALE | n/a | Lambs | 2580 | 360 | 10240 | 83 | 15 | 2 | 0 | 0 | | | | 12 |
| ARMIDALE | n/a | Ewes | 2884 | 280 | 10080 | 0 | 94 | 6 | 0 | 0 | 0 | | | 0 |
| ARMIDALE | n/a | Ewes | 3236 | 400 | 6200 | 100 | 0 | 0 | 0 | 0 | | | | 0 |
| ARMIDALE | n/a | Ewes | 3556 | 0 | 8560 | 96 | 4 | 0 | 0 | 0 | | | | 0 |
| ARMIDALE | n/a | Lambs | 3588 | 1120 | 8320 | 100 | 0 | 0 | 0 | 0 | 0 | | | 0 |
| ARMIDALE | n/a | Weaners | 3744 | 200 | 8280 | 97 | 3 | 0 | 0 | 0 | | | | 216 |
| ARMIDALE | n/a | Ewes | 3972 | 840 | 13320 | 85 | 15 | 0 | 0 | 0 | | | | 0 |
| ARMIDALE | n/a | Ewes | 4348 | 40 | 9680 | 76 | 24 | 0 | 0 | 0 | | | | 0 |
| ARMIDALE | n/a | Weaners | 17896 | 8520 | 36640 | 100 | 0 | 0 | 0 | 0 | | | | 244 |
| ARMIDALE | n/a | Ewes | | | | | | | | | 0 | | | 0 |
| ARMIDALE | n/a | Ewes | | | | | | | | | 0 | | | 0 |
| ARMIDALE | n/a | Ewes | | | | | | | | | 0 | | | 0 |
| ARMIDALE | n/a | Ewes | | | | | | | | | 0 | | | 0 |
| ARMIDALE | n/a | Ewes | | | | | | | | | 0 | | | 0 |
| ARMIDALE | n/a | Rams | | | | | | | | | 0 | | | 0 |
| ARMIDALE | n/a | Lambs | | | | 100 | 0 | 0 | 0 | 0 | | | | 0 |
| ARMIDALE | n/a | Mixed | | | | 0 | 98 | 2 | 0 | 0 | | | | 0 |
| ARMIDALE | n/a | Ewes | | | | 90 | 8 | 2 | 0 | 0 | | | | 0 |
| CENTRAL TABLELANDS | n/a | Ewes | 8 | 0 | 40 | 0 | 100 | 0 | 0 | 0 | | | | 0 |
| CENTRAL TABLELANDS | n/a | Weaners | 20 | 0 | 40 | 2 | 57 | 41 | 0 | 0 | | | | 0 |
| CENTRAL TABLELANDS | n/a | Ewes | 36 | 0 | 240 | 2 | 88 | 10 | 0 | 0 | | | | 0 |
| COONABARABRAN | n/a | Wethers | 0 | 0 | 0 | | | | | | | | | 0 |
| COONABARABRAN | n/a | Ewes | 0 | 0 | 0 | | | | | | | | | 4 |
| COONABARABRAN | n/a | Weaners | 12 | 0 | 40 | | | | | | | | | 28 |
| COONABARABRAN | n/a | Weaners | 16 | 0 | 40 | | | | | | | | | 12 |
| COONABARABRAN | n/a | Ewes | 76 | 0 | 240 | 2 | 58 | 12 | 28 | 0 | | | | 0 |
| COONABARABRAN | n/a | Weaners | 88 | 0 | 240 | 19 | 71 | 9 | 1 | 0 | | | | 72 |
| COONABARABRAN | n/a | Weaners | 184 | 0 | 1360 | 0 | 99 | 1 | 0 | 0 | | | | 76 |
| COONABARABRAN | n/a | Ewes | 844 | 0 | 1800 | 2 | 90 | 1 | 7 | 0 | | | | 308 |
| COONABARABRAN | n/a | Ewes | 4072 | 680 | 17960 | 97 | 3 | 0 | 0 | 0 | | | | 0 |
| COONAMBLE | n/a | Ewes | 4 | 0 | 40 | 71 | 27 | 2 | 0 | 0 | | | | 0 |
| GOULBURN | n/a | Ewes | 268 | 40 | 800 | 8 | 72 | 12 | 8 | 0 | 0 | | | 0 |
| GOULBURN | n/a | Ewes | 276 | 0 | 1080 | 37 | 28 | 23 | 12 | 0 | 0 | | | 0 |
| HUME | n/a | Weaners | 40 | 0 | 120 | 0 | 95 | 5 | 0 | 0 | | | | 0 |
| HUNTER | n/a | Ewes | 204 | 0 | 600 | 4 | 30 | 6 | 60 | 0 | | | | 0 |
| MOLONG | n/a | Ewes | 212 | 0 | 960 | 0 | 10 | 5 | 85 | 0 | | | | 0 |
| MOREE | n/a | Weaners | 28 | 0 | 120 | | | | | | | | | 16 |
| MOREE | n/a | Ewes | 148 | 0 | 640 | 100 | 0 | 0 | 0 | 0 | | | | 12 |
| MUDGE | n/a | Weaners | 752 | 0 | 4440 | 27 | 60 | 7 | 6 | 0 | | | | 44 |
| NARRABRI | n/a | Ewes | 391 | 0 | 1200 | 0 | 56 | 44 | 0 | 0 | | | | 9 |
| NARRABRI | n/a | Weaners | 604 | 0 | 1880 | 100 | 0 | 0 | 0 | 0 | | | | 32 |
| NARRABRI | n/a | Wethers | 2472 | 240 | 6120 | 99 | 1 | 0 | 0 | 0 | | | | 12 |
| NARRANDERA | n/a | Rams | 216 | 40 | 480 | 0 | 70 | 30 | 0 | 0 | | | | 40 |
| NARRANDERA | n/a | Rams | 12320 | 0 | 520 | 0 | 90 | 10 | 0 | 0 | | | | 3040 |
| NORTHERN NEW ENGLAND | n/a | Ewes | 8 | 0 | 80 | 100 | 0 | 0 | 0 | 0 | | | | 0 |
| NORTHERN NEW ENGLAND | n/a | Ewes | 12 | 0 | 80 | | | | | | | | | 0 |
| NORTHERN NEW ENGLAND | n/a | Ewes | 16 | 0 | 80 | | | | | | 0 | | | 0 |
| NORTHERN NEW ENGLAND | n/a | Ewes | 28 | 0 | 160 | | | | | | | | | 0 |
| NORTHERN NEW ENGLAND | n/a | Weaners | 48 | 0 | 200 | 100 | 0 | 0 | 0 | 0 | | | | 0 |
| NORTHERN NEW ENGLAND | n/a | Weaners | 64 | 0 | 280 | | | | | | | | | 0 |
| NORTHERN NEW ENGLAND | n/a | Weaners | 68 | 0 | 200 | 100 | 0 | 0 | 0 | 0 | | | | 0 |
| NORTHERN NEW ENGLAND | n/a | Ewes | 84 | 0 | 200 | 9 | 83 | 8 | 0 | 0 | | | | 0 |
| NORTHERN NEW ENGLAND | n/a | Weaners | 112 | 0 | 680 | 89 | 11 | 0 | 0 | 0 | | | | 0 |
| NORTHERN NEW ENGLAND | n/a | | 116 | 0 | 320 | 49 | 38 | 13 | 0 | 0 | | | | 0 |
| NORTHERN NEW ENGLAND | n/a | Weaners | 154 | 0 | 1080 | | | | | | | | | 0 |
| NORTHERN NEW ENGLAND | n/a | Weaners | 164 | 40 | 320 | 94 | 3 | 3 | 0 | 0 | | | | 4 |
| NORTHERN NEW ENGLAND | n/a | Mixed | 204 | 0 | 680 | 69 | 26 | 5 | 0 | 0 | | | | 0 |
| NORTHERN NEW ENGLAND | n/a | Lambs | 220 | 0 | 720 | 4 | 96 | 0 | 0 | 0 | | | | 12 |
| NORTHERN NEW ENGLAND | n/a | | 232 | 80 | 520 | 14 | 86 | 0 | 0 | 0 | | | | 0 |
| NORTHERN NEW ENGLAND | n/a | Ewes | 452 | 0 | 1680 | 97 | 3 | 0 | 0 | 0 | 0 | | | 0 |
| NORTHERN NEW ENGLAND | n/a | | 456 | 0 | 1480 | 24 | 76 | 0 | 0 | 0 | | | | 0 |
| NORTHERN NEW ENGLAND | n/a | | 580 | 0 | 2160 | | | | | | | | | 0 |
| NORTHERN NEW ENGLAND | n/a | Ewes | 616 | 0 | 1680 | 57 | 40 | 3 | 0 | 0 | 0 | | | 0 |
| NORTHERN NEW ENGLAND | n/a | Wethers | 640 | 0 | 4200 | 91 | 9 | 0 | 0 | 0 | | | | 4 |
| NORTHERN NEW ENGLAND | n/a | Wethers | 688 | 160 | 1320 | 11 | 61 | 13 | 15 | 0 | | | | 0 |
| NORTHERN NEW ENGLAND | n/a | Wethers | 796 | 40 | 2200 | | | | | | | | | 0 |
| NORTHERN NEW ENGLAND | n/a | Wethers | 960 | 0 | 3600 | | | | | | | | | 0 |
| NORTHERN NEW ENGLAND | n/a | Ewes | 968 | 0 | 3360 | 98 | 2 | 0 | 0 | 0 | | | | 0 |
| NORTHERN NEW ENGLAND | n/a | Ewes | 1268 | 520 | 2560 | 100 | 0 | 0 | 0 | 0 | | | | 28 |
| NORTHERN NEW ENGLAND | n/a | Ewes | 1276 | 120 | 3240 | 96 | 4 | 0 | 0 | 0 | 0 | | | 0 |
| NORTHERN NEW ENGLAND | n/a | Ewes | 1372 | 0 | 4680 | 6 | 92 | 1 | 1 | 0 | 1 | | | 0 |
| NORTHERN NEW ENGLAND | n/a | Weaners | 1424 | 600 | 2480 | 95 | 5 | 0 | 0 | 0 | | | | 16 |
| NORTHERN NEW ENGLAND | n/a | Wethers | 1904 | 520 | 3600 | 83 | 16 | 0 | 1 | 0 | | | | 0 |
| NORTHERN NEW ENGLAND | n/a | Lambs | 2232 | 520 | 4920 | 90 | 5 | 5 | 0 | 0 | | | | 0 |
| NORTHERN NEW ENGLAND | n/a | Ewes | 2980 | 160 | 10680 | 92 | 8 | 0 | 0 | 0 | | | | 0 |
| TAMWORTH | n/a | Ewes | 4 | 0 | 40 | 75 | 25 | 0 | 0 | 0 | 0 | | | 0 |
| TAMWORTH | n/a | Weaners | 12 | 0 | 40 | 97 | 3 | 0 | 0 | 0 | | | | 0 |
| TAMWORTH | n/a | Weaners | 76 | 0 | 200 | 64 | 29 | 3 | 0 | 4 | | | | 8 |

| AREA | AGE / SEX | | Strongyle Eggs per Gram | | | Larval culture/differentiation | | | | Liver fluke | | Nematodirus | | | | | | |
|----------|-----------|-----------|-------------------------|-----|------|--------------------------------|--------|------|------|-------------|---------|-------------|------|-----|------|--|--|----|
| | | | Mean | Low | High | Haem% | Trich% | Ost% | Oes% | Coop% | Count 1 | Count 2 | Mean | Low | High | | | |
| TAMWORTH | n/a | Lambs | 104 | 0 | 360 | 85 | 10 | 5 | 0 | 0 | | | | | | | | |
| TAMWORTH | n/a | Lambs | 196 | 0 | 640 | 100 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | | |
| TAMWORTH | n/a | Ewes | 344 | 0 | 2760 | 90 | 2 | 1 | 7 | 0 | | | | | | | | |
| TAMWORTH | n/a | Ewes | 344 | 0 | 960 | 98 | 2 | 0 | 0 | 0 | | | | | | | | |
| TAMWORTH | n/a | Ewes | 360 | 0 | 2000 | 100 | 0 | 0 | 0 | 0 | 1 | | | | | | | |
| TAMWORTH | n/a | Ewes | 548 | 0 | 1960 | 97 | 3 | 0 | 0 | 0 | 0 | | | | | | | |
| TAMWORTH | n/a | Ewes | 752 | 0 | 2480 | 25 | 75 | 0 | 0 | 0 | | | | | | | | |
| TAMWORTH | n/a | Ewes | 800 | 40 | 1840 | 95 | 5 | 0 | 0 | 0 | | | | | | | | |
| TAMWORTH | n/a | | 1024 | 320 | 2720 | 37 | 51 | 5 | 7 | 0 | 0 | | | | | | | |
| TAMWORTH | n/a | Mixed sex | 1052 | 40 | 2360 | 3 | 94 | 3 | 0 | 0 | | | | | | | | |
| TAMWORTH | n/a | Ewes | 1056 | 160 | 2440 | 81 | 14 | 1 | 4 | 0 | | | | | | | | |
| TAMWORTH | n/a | Rams | 1124 | 80 | 3960 | 95 | 4 | 1 | 0 | 0 | | | | | | | | |
| TAMWORTH | n/a | Rams | 1200 | 320 | 2760 | 49 | 42 | 9 | 0 | 0 | | | | | | | | |
| TAMWORTH | n/a | Lambs | 1216 | 160 | 4440 | 100 | 0 | 0 | 0 | 0 | 0 | | | | | | | |
| TAMWORTH | n/a | Lambs | 1324 | 480 | 2840 | 84 | 14 | 2 | 0 | 0 | | | | | | | | |
| TAMWORTH | n/a | Ewes | 1620 | 0 | 4720 | 83 | 14 | 1 | 2 | 0 | | | | | | | | |
| TAMWORTH | n/a | Wethers | 1652 | 80 | 5440 | 100 | 0 | 0 | 0 | 0 | | | | | | | | |
| TAMWORTH | n/a | Hoggets | 1664 | 0 | 3480 | 93 | 6 | 0 | 1 | 0 | | | | | | | | |
| TAMWORTH | n/a | Lambs | 3880 | 0 | 8640 | 96 | 3 | 0 | 1 | 0 | | | | | | | | |
| WALGETT | n/a | Weaners | 40 | 0 | 160 | 91 | 4 | 5 | 0 | 0 | | | | | | | | |
| YASS | n/a | Ewes | 180 | 40 | 480 | | | | | | 0 | | | | | | | 16 |

| AREA | AGE / SEX | | Strongyle Eggs per Gram | | | Larval culture/differentiation | | | | Liver fluke | | Nematodirus | | | |
|----------|-----------|--------------|-------------------------|-----|-------|--------------------------------|--------|------|------|-------------|---------|-------------|------|-----|------|
| | | | Mean | Low | High | Haem% | Trich% | Ost% | Oes% | Coop% | Count 1 | Count 2 | Mean | Low | High |
| ARMIDALE | n/a | Ewes | 0 | 0 | 0 | | | | | | | | 0 | 0 | 0 |
| ARMIDALE | n/a | Wethers | 0 | 0 | 0 | | | | | | | | 0 | 0 | 0 |
| ARMIDALE | n/a | Weaners | 0 | 0 | 0 | | | | | | | | 0 | 0 | 0 |
| ARMIDALE | n/a | Weaners | 0 | 0 | 0 | | | | | | | | 0 | 0 | 0 |
| ARMIDALE | n/a | Ewes | 0 | 0 | 0 | | | | | | 18 | | 0 | 0 | 0 |
| ARMIDALE | n/a | Ewes | 0 | 0 | 0 | | | | | | | | 0 | 0 | 0 |
| ARMIDALE | n/a | Weaners | 0 | 0 | 0 | | | | | | | | 0 | 0 | 0 |
| ARMIDALE | n/a | Weaners | 0 | 0 | 0 | | | | | | | | 0 | 0 | 0 |
| ARMIDALE | n/a | Weaners | 4 | 0 | 40 | 100 | 0 | 0 | 0 | 0 | | | 0 | 0 | 0 |
| ARMIDALE | n/a | Weaners | 4 | 0 | 40 | | | | | | 54 | | 0 | 0 | 0 |
| ARMIDALE | n/a | Hoggets | 4 | 0 | 40 | | | | | | | | 0 | 0 | 0 |
| ARMIDALE | n/a | Hoggets | 4 | 0 | 40 | | | | | | | | 0 | 0 | 0 |
| ARMIDALE | n/a | Weaners | 8 | 0 | 40 | 0 | 0 | 0 | 0 | 0 | | | 0 | 0 | 0 |
| ARMIDALE | n/a | Ewes | 9 | 0 | 80 | | | | | | | | 0 | 0 | 0 |
| ARMIDALE | n/a | Ewes | 12 | 0 | 40 | 0 | 67 | 33 | 0 | 0 | | | 0 | 0 | 0 |
| ARMIDALE | n/a | Ewes | 12 | 0 | 80 | | | | | | | | 0 | 0 | 0 |
| ARMIDALE | n/a | Weaners | 12 | 0 | 120 | | | | | | 0 | | 0 | 0 | 0 |
| ARMIDALE | n/a | Ewes | 16 | 0 | 120 | | | | | | | | 0 | 0 | 0 |
| ARMIDALE | n/a | Ewes | 22 | 0 | 120 | | | | | | | | 0 | 0 | 0 |
| ARMIDALE | n/a | Lambs | 28 | 0 | 200 | 0 | 94 | 6 | 0 | 0 | 0 | | 0 | 0 | 0 |
| ARMIDALE | n/a | Ewes | 36 | 0 | 120 | 98 | 1 | 0 | 0 | 1 | 2 | | 0 | 0 | 0 |
| ARMIDALE | n/a | Ewes | 40 | 0 | 80 | 13 | 78 | 6 | 3 | 0 | | | 0 | 0 | 0 |
| ARMIDALE | n/a | Wethers | 44 | 0 | 160 | | | | | | | | 0 | 0 | 0 |
| ARMIDALE | n/a | Ewes | 44 | 0 | 120 | | | | | | | | 0 | 0 | 0 |
| ARMIDALE | n/a | Ewes | 60 | 0 | 440 | | | | | | 3 | | 0 | 0 | 0 |
| ARMIDALE | n/a | Ewes | 71 | 0 | 440 | | | | | | | | 0 | 0 | 0 |
| ARMIDALE | n/a | Ewes | 80 | 0 | 160 | | | | | | | | 0 | 0 | 0 |
| ARMIDALE | n/a | Ewes | 84 | 0 | 720 | | | | | | | | 0 | 0 | 0 |
| ARMIDALE | n/a | Ewes | 88 | 0 | 320 | 4 | 95 | 0 | 1 | 0 | | | 0 | 0 | 0 |
| ARMIDALE | n/a | Ewes | 89 | 0 | 240 | | | | | | | | 0 | 0 | 0 |
| ARMIDALE | n/a | Ewes | 89 | 0 | 200 | | | | | | | | 0 | 0 | 0 |
| ARMIDALE | n/a | Ewes | 92 | 0 | 360 | 0 | 93 | 7 | 0 | 0 | | | 0 | 0 | 0 |
| ARMIDALE | n/a | Ewes | 100 | 0 | 360 | 95 | 5 | 0 | 0 | 0 | | | 0 | 0 | 0 |
| ARMIDALE | n/a | Weaners | 124 | 0 | 360 | 0 | 100 | 0 | 0 | 0 | | | 0 | 0 | 0 |
| ARMIDALE | n/a | Ewes | 124 | 0 | 560 | 98 | 1 | 1 | 0 | 0 | | | 0 | 0 | 0 |
| ARMIDALE | n/a | Ewes | 140 | 0 | 480 | 42 | 46 | 11 | 1 | 0 | | | 0 | 0 | 0 |
| ARMIDALE | n/a | Ewes | 140 | 0 | 1040 | | | | | | | | 0 | 0 | 0 |
| ARMIDALE | n/a | Weaners | 148 | 0 | 720 | | | | | | | | 64 | 0 | 160 |
| ARMIDALE | n/a | Ewes | 160 | 0 | 1120 | 55 | 42 | 3 | 0 | 0 | | | 0 | 0 | 0 |
| ARMIDALE | n/a | Ewes | 164 | 0 | 680 | 43 | 52 | 5 | 0 | 0 | | | 0 | 0 | 0 |
| ARMIDALE | n/a | Ewes | 164 | 0 | 520 | 100 | 0 | 0 | 0 | 0 | 1 | | 0 | 0 | 0 |
| ARMIDALE | n/a | Ewes | 169 | 0 | 520 | | | | | | | | 0 | 0 | 0 |
| ARMIDALE | n/a | Ewes | 172 | 0 | 520 | 34 | 50 | 16 | 0 | 0 | | | 0 | 0 | 0 |
| ARMIDALE | n/a | Ewes | 188 | 40 | 520 | 9 | 60 | 28 | 3 | 0 | | | 0 | 0 | 0 |
| ARMIDALE | n/a | Ewes | 188 | 0 | 840 | 91 | 6 | 3 | 0 | 0 | | | 0 | 0 | 0 |
| ARMIDALE | n/a | Weaners | 216 | 0 | 1280 | 88 | 12 | 0 | 0 | 0 | | | 0 | 0 | 0 |
| ARMIDALE | n/a | Weaners | 222 | 40 | 680 | 96 | 2 | 2 | 0 | 0 | | | 0 | 0 | 0 |
| ARMIDALE | n/a | Weaners | 228 | 0 | 760 | 13 | 75 | 12 | 0 | 0 | | | 0 | 0 | 0 |
| ARMIDALE | n/a | Ewes | 244 | 0 | 560 | | | | | | | | 0 | 0 | 0 |
| ARMIDALE | n/a | Weaners | 249 | 80 | 720 | | | | | | | | 4 | 0 | 40 |
| ARMIDALE | n/a | Ewes & lambs | 260 | 0 | 1440 | 96 | 3 | 1 | 0 | 0 | | | 0 | 0 | 0 |
| ARMIDALE | n/a | Ewes | 302 | 0 | 720 | 62 | 23 | 12 | 3 | 0 | | | 0 | 0 | 0 |
| ARMIDALE | n/a | Wethers | 312 | 0 | 1480 | 96 | 4 | 0 | 0 | 0 | | | 0 | 0 | 0 |
| ARMIDALE | n/a | Wethers | 320 | 200 | 440 | 0 | 20 | 17 | 63 | 0 | 0 | | 0 | 0 | 0 |
| ARMIDALE | n/a | Ewes | 340 | 0 | 2040 | | | | | | | | 0 | 0 | 0 |
| ARMIDALE | n/a | Ewes | 344 | 40 | 800 | 29 | 61 | 7 | 3 | 0 | | | 0 | 0 | 0 |
| ARMIDALE | n/a | Ewes | 347 | 0 | 2240 | | | | | | | | 0 | 0 | 0 |
| ARMIDALE | n/a | Ewes | 348 | 0 | 1440 | 87 | 11 | 2 | 0 | 0 | | | 0 | 0 | 0 |
| ARMIDALE | n/a | Ewes | 368 | 0 | 1840 | 100 | 0 | 0 | 0 | 0 | | | 0 | 0 | 0 |
| ARMIDALE | n/a | Ewes | 384 | 0 | 2040 | 92 | 6 | 1 | 1 | 0 | | | 0 | 0 | 0 |
| ARMIDALE | n/a | Wethers | 400 | 320 | 560 | 0 | 72 | 16 | 12 | 0 | 1 | | 0 | 0 | 0 |
| ARMIDALE | n/a | Wethers | 420 | 0 | 2400 | 98 | 2 | 0 | 0 | 0 | | | 0 | 0 | 0 |
| ARMIDALE | n/a | Wethers | 427 | 0 | 840 | | | | | | | | 0 | 0 | 0 |
| ARMIDALE | n/a | Wethers | 428 | 0 | 1120 | 20 | 71 | 3 | 6 | 0 | 0 | | 16 | 0 | 160 |
| ARMIDALE | n/a | Wethers | 444 | 80 | 1640 | 35 | 42 | 14 | 9 | 0 | | | 0 | 0 | 0 |
| ARMIDALE | n/a | Ewes | 448 | 120 | 1520 | 75 | 16 | 9 | 0 | 0 | | | 0 | 0 | 0 |
| ARMIDALE | n/a | Wethers | 468 | 0 | 1400 | 88 | 4 | 6 | 2 | 0 | 0 | | 0 | 0 | 0 |
| ARMIDALE | n/a | Wethers | 480 | 0 | 2240 | 90 | 10 | 0 | 0 | 0 | | | 0 | 0 | 0 |
| ARMIDALE | n/a | Ewes | 552 | 0 | 1520 | 1 | 94 | 5 | 0 | 0 | 0 | | 0 | 0 | 0 |
| ARMIDALE | n/a | Ewes | 676 | 160 | 1360 | 95 | 4 | 1 | 0 | 0 | | | 0 | 0 | 0 |
| ARMIDALE | n/a | Weaners | 676 | 240 | 1360 | 100 | 0 | 0 | 0 | 0 | | | 120 | 0 | 1200 |
| ARMIDALE | n/a | Hoggets | 704 | 200 | 1040 | 91 | 8 | 1 | 0 | 0 | | | 0 | 0 | 0 |
| ARMIDALE | n/a | Ewes | 780 | 0 | 1680 | 93 | 3 | 1 | 3 | 0 | | | 0 | 0 | 0 |
| ARMIDALE | n/a | Lambs | 804 | 280 | 1680 | 0 | 96 | 4 | 0 | 0 | | | 0 | 0 | 0 |
| ARMIDALE | n/a | Ewes | 832 | 0 | 1720 | 100 | 0 | 0 | 0 | 0 | | | 0 | 0 | 0 |
| ARMIDALE | n/a | Ewes | 852 | 40 | 3800 | 86 | 11 | 1 | 2 | 0 | | | 0 | 0 | 0 |
| ARMIDALE | n/a | Ewes | 892 | 120 | 1600 | 51 | 49 | 0 | 0 | 0 | 1 | | 0 | 0 | 0 |
| ARMIDALE | n/a | Weaners | 892 | 0 | 4520 | 88 | 11 | 1 | 0 | 0 | 1 | | 0 | 0 | 0 |
| ARMIDALE | n/a | Ewes | 904 | 0 | 2640 | 100 | 0 | 0 | 0 | 0 | | | 0 | 0 | 0 |
| ARMIDALE | n/a | Weaners | 908 | 120 | 1920 | 67 | 23 | 10 | 0 | 0 | | | 0 | 0 | 0 |
| ARMIDALE | n/a | Rams | 984 | 40 | 3120 | 39 | 60 | 1 | 0 | 0 | | | 20 | 0 | 80 |
| ARMIDALE | n/a | Weaners | 1000 | 0 | 2240 | 82 | 17 | 1 | 0 | 0 | | | 56 | 0 | 200 |
| ARMIDALE | n/a | Ewes | 1000 | 280 | 1720 | 85 | 13 | 2 | 0 | 0 | | | 0 | 0 | 0 |
| ARMIDALE | n/a | Ewes | 1016 | 0 | 5680 | 97 | 3 | 0 | 0 | 0 | 0 | | 0 | 0 | 0 |
| ARMIDALE | n/a | Rams | 1120 | 0 | 4880 | | | | | | | | 0 | 0 | 0 |
| ARMIDALE | n/a | Ewes | 1129 | 240 | 3720 | | | | | | | | 27 | 0 | 120 |
| ARMIDALE | n/a | Ewes | 1160 | 40 | 2400 | | | | | | | | 0 | 0 | 0 |
| ARMIDALE | n/a | Ewes | 1228 | 40 | 4280 | 100 | 0 | 0 | 0 | 0 | | | 0 | 0 | 0 |
| ARMIDALE | n/a | Ewes | 1231 | 120 | 4200 | | | | | | | | 0 | 0 | 0 |
| ARMIDALE | n/a | Lambs | 1232 | 280 | 4720 | 78 | 14 | 8 | 0 | 0 | | | 0 | 0 | 0 |
| ARMIDALE | n/a | Ewes | 1304 | 0 | 7120 | | | | | | 3 | | 0 | 0 | 0 |
| ARMIDALE | n/a | Ewes | 1312 | 280 | 4360 | | | | | | 0 | | 24 | 0 | 240 |
| ARMIDALE | n/a | Wethers | 1416 | 0 | 7120 | 98 | 2 | 0 | 0 | 0 | | | 0 | 0 | 0 |
| ARMIDALE | n/a | Weaners | 1580 | 720 | 2720 | 97 | 3 | 0 | 0 | 0 | 0 | | 4 | 0 | 40 |
| ARMIDALE | n/a | Ewes | 1608 | 160 | 2920 | 93 | 7 | 0 | 0 | 0 | | | 0 | 0 | 0 |
| ARMIDALE | n/a | Wethers | 1660 | 0 | 5320 | 84 | 14 | 0 | 2 | 0 | | | 0 | 0 | 0 |
| ARMIDALE | n/a | Wethers | 1680 | 0 | 3480 | | | | | | | | 0 | 0 | 0 |
| ARMIDALE | n/a | Ewes | 1712 | 0 | 12240 | 100 | 0 | 0 | 0 | 0 | 0 | | 0 | 0 | 0 |
| ARMIDALE | n/a | Ewes | 1728 | 0 | 6000 | 72 | 28 | 0 | 0 | 0 | | | 0 | 0 | 0 |
| ARMIDALE | n/a | Ewes | 1732 | 0 | 7440 | | | | | | 0 | | 0 | 0 | 0 |

| AREA | AGE / SEX | | Strongyle Eggs per Gram | | | Larval culture/differentiation | | | | Liver fluke | | Nematodirus | | | |
|----------------------|-----------|-----------|-------------------------|------|-------|--------------------------------|--------|------|------|-------------|---------|-------------|------|-----|------|
| | | | Mean | Low | High | Haem% | Trich% | Ost% | Oes% | Coop% | Count 1 | Count 2 | Mean | Low | High |
| ARMIDALE | n/a | Ewes | 1752 | 80 | 6800 | 100 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ARMIDALE | n/a | Ewes | 1756 | 40 | 3840 | 81 | 19 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ARMIDALE | n/a | Wethers | 1824 | 0 | 7840 | 88 | 12 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ARMIDALE | n/a | Weaners | 1852 | 400 | 3520 | 100 | 0 | 0 | 0 | 0 | 0 | 4 | 0 | 0 | 40 |
| ARMIDALE | n/a | Ewes | 1956 | 240 | 7160 | 48 | 52 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ARMIDALE | n/a | Wethers | 2112 | 160 | 4320 | 97 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ARMIDALE | n/a | Ewes | 2115 | 640 | 3600 | 77 | 13 | 7 | 0 | 3 | 5 | 0 | 0 | 0 | 40 |
| ARMIDALE | n/a | Weaners | 2160 | 360 | 4040 | 91 | 7 | 2 | 0 | 0 | 12 | 0 | 0 | 0 | 80 |
| ARMIDALE | n/a | Mixed sex | 2244 | 0 | 10000 | 97 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ARMIDALE | n/a | Ewes | 2293 | 40 | 6840 | 100 | 0 | 0 | 0 | 0 | 16 | 0 | 0 | 0 | 0 |
| ARMIDALE | n/a | Ewes | 2424 | 880 | 4000 | | | | | | 24 | 0 | 0 | 0 | 40 |
| ARMIDALE | n/a | Weaners | 2704 | 1200 | 5400 | 71 | 17 | 12 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ARMIDALE | n/a | Ewes | 2784 | 880 | 7120 | 88 | 9 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ARMIDALE | n/a | Weaners | 2956 | 560 | 4840 | 98 | 2 | 0 | 0 | 0 | 96 | 0 | 0 | 0 | 280 |
| ARMIDALE | n/a | Weaners | 3048 | 120 | 23760 | 28 | 71 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ARMIDALE | n/a | Weaners | 3056 | 640 | 6880 | 86 | 14 | 0 | 0 | 0 | 108 | 0 | 0 | 0 | 280 |
| ARMIDALE | n/a | Ewes | 3267 | 920 | 7560 | 89 | 7 | 1 | 3 | 0 | 0 | 0 | 0 | 0 | 0 |
| ARMIDALE | n/a | Ewes | 3372 | 120 | 12600 | 72 | 28 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ARMIDALE | n/a | Ewes | 3573 | 1360 | 6520 | 93 | 4 | 0 | 1 | 2 | 0 | 0 | 0 | 0 | 0 |
| ARMIDALE | n/a | Ewes | 3684 | 720 | 6680 | 97 | 2 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ARMIDALE | n/a | Ewes | 3867 | 0 | 26600 | 100 | 0 | 0 | 0 | 0 | 9 | 0 | 0 | 0 | 0 |
| ARMIDALE | n/a | Ewes | 4120 | 1440 | 7560 | | | | | | 90 | 0 | 0 | 0 | 200 |
| ARMIDALE | n/a | Ewes | 4236 | 0 | 13440 | 57 | 43 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ARMIDALE | n/a | Ewes | 4736 | 0 | 19160 | 88 | 10 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ARMIDALE | n/a | Weaners | 4867 | 1000 | 18440 | 84 | 7 | 5 | 2 | 2 | 0 | 0 | 0 | 0 | 0 |
| ARMIDALE | n/a | Weaners | 7368 | 1640 | 16160 | 97 | 2 | 0 | 0 | 1 | 4 | 0 | 0 | 0 | 40 |
| ARMIDALE | n/a | Weaners | | | | 91 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ARMIDALE | n/a | Ewes | | | | | | | | | 4 | 0 | 0 | 0 | 0 |
| ARMIDALE | n/a | Ewes | | | | | | | | | 23 | 0 | 0 | 0 | 0 |
| ARMIDALE | n/a | Wethers | | | | | | | | | 0 | 0 | 0 | 0 | 0 |
| ARMIDALE | n/a | Weaners | | | | | | | | | 0 | 0 | 0 | 0 | 0 |
| ARMIDALE | n/a | Ewes | | | | | | | | | 22 | 0 | 0 | 0 | 0 |
| ARMIDALE | n/a | Lambs | | | | | | | | | 0 | 0 | 0 | 0 | 0 |
| ARMIDALE | n/a | Ewes | | | | | | | | | 0 | 0 | 0 | 0 | 0 |
| CENTRAL TABLELANDS | n/a | Wethers | 216 | 0 | 920 | 32 | 34 | 2 | 32 | 0 | 0 | 0 | 0 | 0 | 0 |
| CENTRAL TABLELANDS | n/a | Wethers | 320 | 0 | 1080 | 79 | 21 | 0 | 0 | 0 | 44 | 0 | 0 | 0 | 120 |
| CENTRAL TABLELANDS | n/a | Mixed sex | 356 | 0 | 1000 | 15 | 41 | 13 | 31 | 0 | 0 | 0 | 0 | 0 | 0 |
| CENTRAL TABLELANDS | n/a | Weaners | 968 | 200 | 1760 | 0 | 78 | 15 | 7 | 0 | 44 | 0 | 0 | 0 | 160 |
| COOMA | n/a | Ewes | 0 | 0 | 0 | | | | | | 1 | 56 | 0 | 0 | 240 |
| COOMA | n/a | Weaners | 12 | 0 | 80 | | | | | | 0 | 128 | 0 | 0 | 400 |
| COONABARABRAN | n/a | Wethers | 192 | 0 | 640 | 14 | 69 | 16 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| COONABARABRAN | n/a | Weaners | 272 | 0 | 1280 | 0 | 99 | 0 | 0 | 1 | 44 | 0 | 0 | 0 | 120 |
| COONABARABRAN | n/a | Ewes | 332 | 0 | 1000 | 8 | 68 | 3 | 21 | 0 | 4 | 0 | 0 | 0 | 40 |
| COONABARABRAN | n/a | Wethers | 388 | 0 | 1160 | 88 | 5 | 4 | 3 | 0 | 4 | 0 | 0 | 0 | 40 |
| COONABARABRAN | n/a | Ewes | 400 | 40 | 800 | 20 | 66 | 13 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| COONABARABRAN | n/a | Weaners | 476 | 0 | 2600 | 89 | 7 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| COONABARABRAN | n/a | Wethers | 580 | 160 | 1280 | 25 | 67 | 5 | 3 | 0 | 44 | 0 | 0 | 0 | 160 |
| COONABARABRAN | n/a | Ewes | 628 | 160 | 1360 | 2 | 92 | 5 | 1 | 0 | 24 | 0 | 0 | 0 | 80 |
| COONABARABRAN | n/a | Wethers | 800 | 160 | 2320 | 5 | 77 | 10 | 8 | 0 | 0 | 0 | 0 | 0 | 0 |
| GOULBURN | n/a | Lambs | 36 | 0 | 120 | 78 | 14 | 8 | 0 | 0 | 0 | 120 | 0 | 0 | 680 |
| HILLSTON | n/a | Weaners | 64 | 0 | 320 | 77 | 23 | 0 | 0 | 0 | 12 | 0 | 0 | 0 | 80 |
| HILLSTON | n/a | Ewes | 72 | 0 | 120 | 59 | 36 | 4 | 1 | 0 | 16 | 0 | 0 | 0 | 160 |
| HILLSTON | n/a | Ewes | 168 | 0 | 400 | 27 | 71 | 2 | 0 | 0 | 4 | 0 | 0 | 0 | 40 |
| HILLSTON | n/a | Ewes | 284 | 40 | 720 | 39 | 60 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| HUNTER | n/a | Weaners | 212 | 80 | 520 | 26 | 52 | 22 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MOREE | n/a | Weaners | 160 | 0 | 840 | 100 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MOREE | n/a | Hoggets | 1140 | 40 | 2400 | 98 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| NORTHERN NEW ENGLAND | n/a | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| NORTHERN NEW ENGLAND | n/a | Weaners | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| NORTHERN NEW ENGLAND | n/a | Lambs | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| NORTHERN NEW ENGLAND | n/a | Weaners | 0 | 0 | 0 | 100 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| NORTHERN NEW ENGLAND | n/a | Wethers | 4 | 0 | 40 | | | | | | 0 | 0 | 0 | 0 | 0 |
| NORTHERN NEW ENGLAND | n/a | Wethers | 20 | 0 | 160 | 100 | 0 | 0 | 0 | 0 | 12 | 0 | 0 | 0 | 80 |
| NORTHERN NEW ENGLAND | n/a | Wethers | 28 | 0 | 80 | | | | | | 0 | 0 | 0 | 0 | 0 |
| NORTHERN NEW ENGLAND | n/a | Ewes | 52 | 0 | 440 | | | | | | 0 | 0 | 0 | 0 | 0 |
| NORTHERN NEW ENGLAND | n/a | Ewes | 64 | 0 | 200 | 98 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| NORTHERN NEW ENGLAND | n/a | Ewes | 72 | 0 | 280 | 100 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| NORTHERN NEW ENGLAND | n/a | Ewes | 72 | 0 | 320 | | | | | | 0 | 0 | 0 | 0 | 0 |
| NORTHERN NEW ENGLAND | n/a | Ewes | 84 | 0 | 240 | | | | | | 0 | 0 | 0 | 0 | 0 |
| NORTHERN NEW ENGLAND | n/a | Weaners | 120 | 0 | 240 | 85 | 15 | 0 | 0 | 0 | 16 | 0 | 0 | 0 | 120 |
| NORTHERN NEW ENGLAND | n/a | Weaners | 128 | 0 | 1240 | 17 | 83 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| NORTHERN NEW ENGLAND | n/a | Weaners | 148 | 0 | 600 | 100 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| NORTHERN NEW ENGLAND | n/a | | 316 | 0 | 1320 | 100 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| NORTHERN NEW ENGLAND | n/a | Weaners | 368 | 40 | 920 | 96 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| NORTHERN NEW ENGLAND | n/a | Ewes | 412 | 40 | 2320 | 100 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| NORTHERN NEW ENGLAND | n/a | Lambs | 644 | 120 | 1520 | 17 | 82 | 1 | 0 | 0 | 16 | 0 | 0 | 0 | 120 |
| NORTHERN NEW ENGLAND | n/a | Lambs | 680 | 40 | 1560 | 95 | 5 | 0 | 0 | 0 | 4 | 0 | 0 | 0 | 40 |
| NORTHERN NEW ENGLAND | n/a | Weaners | 840 | 0 | 4760 | 94 | 6 | 0 | 0 | 0 | 4 | 0 | 0 | 0 | 40 |

| AREA | AGE / SEX | | Strongyle Eggs per Gram | | | Larval culture/differentiation | | | | Liver fluke | | | Nematodirus | | |
|----------------------|-----------|---------|-------------------------|------|------|--------------------------------|--------|------|------|-------------|---------|---------|-------------|-----|------|
| | | | Mean | Low | High | Haem% | Trich% | Ost% | Oes% | Coop% | Count 1 | Count 2 | Mean | Low | High |
| NORTHERN NEW ENGLAND | n/a | Ewes | 884 | 0 | 6080 | | | | | | | | 0 | 0 | 0 |
| NORTHERN NEW ENGLAND | n/a | Ewes | 1132 | 0 | 7800 | | | | | | | | 0 | 0 | 0 |
| NORTHERN NEW ENGLAND | n/a | Ewes | 1356 | 440 | 2400 | | | | | | | | 0 | 0 | 0 |
| NORTHERN NEW ENGLAND | n/a | Ewes | 1448 | 40 | 2640 | | | | | | | | 0 | 0 | 0 |
| NORTHERN NEW ENGLAND | n/a | Ewes | 1584 | 0 | 2760 | 95 | 2 | 0 | 3 | 0 | | | 0 | 0 | 0 |
| NORTHERN NEW ENGLAND | n/a | Ewes | 2024 | 120 | 3800 | 100 | 0 | 0 | 0 | 0 | 0 | | 0 | 0 | 0 |
| NORTHERN NEW ENGLAND | n/a | Ewes | 2504 | 440 | 6200 | 100 | 0 | 0 | 0 | 0 | | | 0 | 0 | 0 |
| NORTHERN NEW ENGLAND | n/a | Hoggets | 2748 | 640 | 5760 | | | | | | | | 0 | 0 | 0 |
| NORTHERN NEW ENGLAND | n/a | Weaners | 4396 | 1280 | 7520 | 100 | 0 | 0 | 0 | 0 | | | 0 | 0 | 0 |
| NORTHERN SLOPES | n/a | Hoggets | 228 | 0 | 920 | 88 | 11 | 1 | 0 | 0 | 0 | 0 | 4 | 0 | 40 |
| TAMWORTH | n/a | Lambs | 404 | 0 | 880 | 100 | 0 | 0 | 0 | 0 | | | 0 | 0 | 0 |
| TAMWORTH | n/a | | 628 | 0 | 1880 | 96 | 3 | 1 | 0 | 0 | | | 0 | 0 | 0 |
| TAMWORTH | n/a | | 1048 | 0 | 4760 | 98 | 2 | 0 | 0 | 0 | | | 0 | 0 | 0 |
| TAMWORTH | n/a | Weaners | 1324 | 600 | 2400 | 98 | 0 | 2 | 0 | 0 | | | 12 | 0 | 40 |
| TAMWORTH | n/a | Lambs | 1536 | 80 | 3360 | 100 | 0 | 0 | 0 | 0 | | | 0 | 0 | 0 |
| TAMWORTH | n/a | Ewes | 2596 | 40 | 8400 | 94 | 6 | 0 | 0 | 0 | 0 | | 0 | 0 | 0 |
| TAMWORTH | n/a | Wethers | 2636 | 880 | 4160 | 87 | 13 | 0 | 0 | 0 | 0 | | 0 | 0 | 0 |
| WALGETT | n/a | Weaners | 16 | 0 | 40 | | | | | | | | 0 | 0 | 0 |
| WALGETT | n/a | Ewes | 132 | 0 | 680 | 4 | 84 | 11 | 1 | 0 | | | 0 | 0 | 0 |
| WALGETT | n/a | Ewes | 1173 | 40 | 4800 | 0 | 89 | 10 | 1 | 0 | | | 0 | 0 | 0 |
| YASS | n/a | Weaners | 4 | 0 | 40 | | | | | | | 0 | 96 | 0 | 400 |
| YASS | n/a | Ewes | 12 | 0 | 40 | | | | | | | 0 | 4 | 0 | 40 |
| YASS | n/a | Weaners | 28 | 0 | 120 | | | | | | | | 28 | 0 | 160 |
| YASS | n/a | Weaners | 52 | 0 | 440 | | | | | | | | 28 | 0 | 200 |
| YASS | n/a | Ewes | 112 | 0 | 400 | 60 | 33 | 7 | 0 | 0 | 0 | | 0 | 0 | 0 |
| YASS | n/a | Ewes | 424 | 160 | 960 | 89 | 1 | 9 | 1 | 0 | 0 | | 0 | 0 | 0 |