



# Australian Inoculants Research Group Rhizobial Inoculant Strains

The AIRG curates a selection of suitable rhizobia for inoculant products that are tested for Australian farming conditions. Ensuring that new and compatible rhizobia are available to successfully nodulate Australia's expanding selection of legume and pasture varieties/cultivars is critical. Currently there are 42 strains covering over 100 species and cultivars of grain and pasture legumes approved by the AIRG and the National Rhizobium Steering Committee.



®

Inoculant Group	Current Recommended Strain	Legume Common Name	Legume Botanical Name
<b>AL</b>	<b>RRI128</b>	Lucerne or Alfalfa	<i>Medicago sativa</i>
		Strand Medic	<i>Medicago littoralis</i>
		Melilotus	<i>Melilotus albus</i>
		Disc Medic	<i>Medicago tornata</i>
<b>AM</b>	<b>WSM1115</b>	Barrel Medic	<i>Medicago truncatula</i>
		Burr Medic	<i>Medicago polymorpha</i>
		Snail Medic	<i>Medicago scutellata</i>
		Sphere Medic	<i>Medicago sphaerocarpus</i>
		Gama Medic	<i>Medicago rugosa</i>
		Murex	<i>Medicago murex</i>
<b>B</b>	<b>TA1</b>	White Clover	<i>Trifolium repens</i>
		Red Clover	<i>Trifolium pratense</i>
		Strawberry Clover	<i>Trifolium fragiferum</i>
		Alsike Clover	<i>Trifolium hybridum</i>
		Berseem, Egyptian Clover	<i>Trifolium alexandrinum</i>
		Cluster or Ball Clover	<i>Trifolium glomeratum</i>
		Suckling Clover	<i>Trifolium dubium</i>
		Talish Clover	<i>Trifolium tumens</i>
<b>C</b>	<b>WSM1325</b>	Subterranean Clover	<i>Trifolium subterraneum</i>
		Balansa Clover	<i>Trifolium michelianum</i>
		Bladder Clover	<i>Trifolium spumosum</i>
		Crimson Clover	<i>Trifolium incarnatum</i>
		Purple Clover	<i>Trifolium purpureum</i>
		Arrowleaf Clover	<i>Trifolium vesiculosum</i>



Inoculant Group	Current Recommended Strain	Legume Common Name	Legume Botanical Name
<b>C</b>	<b>WSM1325</b>	Rose Clover	<i>Trifolium hirtum</i>
		Gland Clover	<i>Trifolium glanuliferum</i>
		Helmet Clover	<i>Trifolium clypeatum</i>
		Persian or Shaftal Clover	<i>Trifolium resupinatum</i>
<b>D</b>	<b>CC829</b>	Lotus	<i>Lotus pedunculatus</i>
<b>E</b>	<b>WSM4643</b>	Pea, Field Pea	<i>Pisum sativum</i>
		Lentil	<i>Lens culinaris</i>
		Tares or Common Vetch	<i>Vicia sativa</i>
		Woolly Pod Vetch	<i>Vicia daisycarpa</i>
		Bitter Vetch	<i>Vicia ervilia</i>
<b>F</b>	<b>SRDI969</b>	Faba, Tick or Broad Bean	<i>Vicia faba</i>
<b>G</b>	<b>WU425 or WSM471</b>	Narrow Leaf lupin	<i>Lupinus angustifolius</i>
		Mediterranean White Lupin	<i>Lupinus albus</i>
		Yellow Lupin	<i>Lupinus luteus</i>
		Sandplain Lupin	<i>Lupinus cosentinii</i>
<b>H</b>	<b>CB1809</b>	Soybean	<i>Glycine max</i>
<b>I</b>	<b>CB1015</b>	Cowpea	<i>Vigna unguiculata</i>
		Mung Bean / Green Gram	<i>Vigna radiata</i>
		Mung Bean / Black Gram	<i>Vigna mungo</i>
<b>J</b>	<b>CB1024</b>	Pigeon Pea	<i>Cajanus cajan</i>
		Dolichos Lablab, Hyacinth Bean	<i>Lablab purpureus</i>
		Horse Gram, Biflorus	<i>Macrotyloma uniflorum</i>
		Perennial Horse Gram	<i>Macrotyloma axillare</i>
<b>L</b>	<b>CB376</b>	Lotononis	<i>Lotononis bainesii</i>
<b>M</b>	<b>CB756</b>	Velvet Bean, Banana Bean	<i>Mucuna deeringiana</i>
		Siratro	<i>Macroptilium atropurpureum</i>
		Phasey Bean	<i>Macroptilium lathyroides</i>
		Puero, Tropical Kudzu	<i>Pueraria phaseoloides</i>
		Calopo	<i>Calopogonium mucunoides</i>
		Glycine	<i>Neontonia wightii</i>
		Butterfly Pea	<i>Clitoria ternatea</i>
<b>N</b>	<b>CC1192</b>	Desi Chickpea, Kabuli Chickpea	<i>Cicer arietinum</i>



Inoculant Group	Current Recommended Strain	Legume Common Name	Legume Botanical Name
<b>P</b>	<b>NC92</b>	Peanut or Groundnut	<i>Arachis hypogaea</i>
<b>S</b>	<b>WSM471 or WU425</b>	Yellow Serradella	<i>Ornithopus compressus</i>
		Slender Serradella	<i>Ornithopus pinnatus</i>
		Pink Serradella	<i>Ornithopus sativus</i>
		Hybrid Serradella	<i>Ornithopus compressus X sativus</i>
		Birdsfoot	<i>Ornithopus perpusillus</i>
<b>SPECIAL</b>	<b>5G1B</b>	Adzuki Bean	<i>Vigna angularis</i>
	<b>CB82</b>	Fine Stem Stylo	<i>Stylosanthes guianensis</i> var. <i>intermedia</i>
		Stylo	<i>Stylosanthes guianensis</i> var. <i>guianensis</i>
		Townsville Stylo	<i>Stylosanthes humilis</i>
		Shrubby Stylo	<i>Stylosanthes viscosa</i>
	<b>CB627</b>	Desmodium	<i>Desmodium intortum</i>
	<b>CB1650</b>	Caribbean Stylo (Verano)	<i>Stylosanthes hamata</i>
	<b>CB1717</b>	Burgundy Bean	<i>Macropodium bracteatum</i>
	<b>CB1923</b>	Centro	<i>Centrosema pubescens</i>
		Centurion	<i>Centrosema pascuorum</i>
	<b>CB2312</b>	Jointvetch	<i>Aeschynomene americana</i>
		Bargoo Jointvetch	<i>Aeschynomene falcata</i>
	<b>CB3035</b>	Guar or Cluster Bean	<i>Cyamopsis tetragonoloba</i>
	<b>CB3060</b>	Leucaena	<i>Leucaena leucocephala</i>
	<b>CB3090</b>	Gliricidia	<i>Gliricidia</i> spp.
	<b>CB3126</b>	Desmanthus	<i>Desmanthus virgatus</i>
	<b>CB3171</b>	Calliandra	<i>Calliandra</i> spp.
	<b>CB3481</b>	Caatinga Stylo	<i>Stylosanthes seabrana</i>
	<b>CC1099</b>	Sainfoin	<i>Onobrychis viciifolia</i>
	<b>CC1502</b>	Tree Lucerne or Tagasaste	<i>Chamaecytisus palmensis</i>
	<b>CC283b</b>	Caucasian Clover, Kura Clover	<i>Trifolium ambiguum</i>
	<b>CC511</b>	French or Common bean	<i>Phaseolus vulgaris</i>
Lima Bean, Butter Bean		<i>Phaseolus lunatus</i>	
Scarlet Runner Bean, Fire Bean		<i>Phaseolus coccineus</i>	
<b>CIAT3101</b>	Pinto Peanut	<i>Arachis pintoi</i>	



Inoculant Group	Current Recommended Strain	Legume Common Name	Legume Botanical Name
<b>SPECIAL</b>	<b>SRDI554</b>	Messina	<i>Melilotus siculus</i>
	<b>SRDI736</b>	Lucerne – on acid soils	<i>Medicago sativa</i>
	<b>SU277</b>	Fenugreek	<i>Trigonella foenum-graecum</i>
	<b>SU343</b>	Lotus	<i>Lotus corniculatus</i>
	<b>WSM1497</b>	Biserrula	<i>Biserrula pelecinus</i>
	<b>WSM1592</b>	Sulla	<i>Hedysarum coronarium</i>
	<b>WSM4083</b>	Tedera	<i>Bituminaria bituminosa</i>
	<b>SU303</b>	Grass Pea	<i>Lathyrus sativus</i>
		Narbon Bean	<i>Vicia narbonensis</i>
Lathyrus		<i>Lathyrus cicera</i>	

## Contact

Australian Inoculants Research Group  
 NSW Department of Primary Industries  
 Elizabeth Macarthur Agricultural Institute  
 Woodbridge Rd, Menangle NSW 2568  
 Private Mail Bag 4008, Narellan NSW 2567  
<https://www.dpi.nsw.gov.au/inoculants>  
[airg@dpi.nsw.gov.au](mailto:airg@dpi.nsw.gov.au)